

HDMI CABLE SOLUTIONS



Liberty has one of the most extensive HDMI cable offerings in the marketplace. Liberty's HDMI cables offer some of the best shielding in the industry under that plain black wrapper. Besides our standard HDMI cable offering, we now offer locking HDMI technology and fiber HDMI. Our HD Termination System offers an installer the ability to create custom cable lengths and meet any field application that a pre-made HDMI cable won't fit.



WWW.LibAV.COM | 800.530.8998





HDMI CABLE SOLUTIONS

- · Wide selection
- · UL, CSA and RoHS
- · High quality product
- · Competitive pricing
- · Economy and premium levels
- · High Speed HDMI®
- · Copper and Fiber versions
- · Plenum, non-Plenum and AWM rated



BEST

BETTER

BETTER

GOOD

VALUE

VALUE

D2-HDSEM-M SERIES LIBERTY D2 HIGH SPEED HDMI WITH ETHERNET

- 28 & 26 AWG TMDS pairs
- · Low Profile molded head
- High Retention plugs up to 12 lbs
- CL2 and CMG FT4 rated, RoHS Compliant
- 5 meters and up feature RedMere® Chipsets

HOME THEATER GRADE

- 5 meters and longer are directional
- 10.2 Gbps. 4K Video, all HDMI® Audio formats
- Supports CEC, Audio Return, and Ethernet
- Lengths from 1 meter to 10 meters
- · Black with black molded heads & blue highlights

E2-HDSEM-M SERIES LIBERTY E2 HIGH SPEED HDMI WITH ETHERNET

- 28 & 26 AWG TMDS pairs
- · Low Profile molded head
- High Retention plugs up to 12 lbs
- CL2 and CMG FT4 rated, RoHS Compliant
- 5 meters and up feature RedMere® Chipsets

COMMERCIAL GRADE

- 5 meters and longer are directional
- 10.2 Gbps, 4K Video, all HDMI® Audio formats
- Supports CEC, Audio Return, and Ethernet
- Lengths from ½ meter to 20 meters
- · Black with blue molded heads

M2-HDSEM-M SERIES LIBERTY M2 HIGH SPEED HDMI WITH ETHERNET

- 30 AWG copper TMDS pairs
- Super Low Profile molded heads
- High Retention plugs up to 12 lbs
- · AWM rated, RoHS compliant

PERFECT FOR PATCHING CABLES IN RACKS

- Up to 8 feet, 10.2Gbps, up to 15 feet 5.0Gbps
- Supports CEC, Audio Return, and Ethernet
- Available in 1,2,3,4,5,6,8,10,12 and 15 feet

· Ultra flexible Black with black molded heads

E-MHDM-M SERIES LIBERTY HIGH SPEED MICRO HEAD HDMI WITH ETHERNET





- HDMI "A" Male to "A" Male Connectivity
- Ultra small flexible diameter cable 3.6mm in diameter
- Flexible Polyvinyl Chloride Jacket
- AWM rated, RoHS Compliant

MAXIMUM FLEXIBILITY PERFORMANCE

- ATC Certified HDMI® High Speed with Ethernet
- 10.2 Gbps / 4Kx2K / 3D / CEC
- Lengths 2m and longer are directional
- 4m length does not support Ethernet

Z100HDE SERIES LIBERTY HIGH SPEED HDMI WITH ETHERNET



- 28 AWG copper TMDS pairs
- Economy public mold design
- AWM rated, RoHS compliant
- 10.2 Gbps, 4K Video, all HDMI® Audio formats

IDEAL FOR BUDGET CONSCIOUS INSTALLATIONS

- · Supports CEC, Audio Return and Ethernet
- Available in 3, 6, 10, 15 and 25 foot lengths
- · Quantity discounts
- Black

Z100HD SERIES MARATHON HIGH SPEED HDMI



- 28 AWG copper TMDS pairs
- · Economy public mold design
- AWM rated, RoHS compliant
- 10.2 Gbps, 4K Video, all HDMI® Audio formats

IDEAL FOR BUDGET CONSCIOUS INSTALLATIONS

- Supports CEC, Audio Return
- Available in 6, 10, and 12 foot lengths
- · Quantity discounts
- Black

P-HDM-M SERIES LIBERTY PLENUM HDMI WITH ETHERNET



- 24 AWG copper TMDS pairs
- · Super Low Profile molded heads
- CMP FT6 rated, RoHS compliant
- 8m High Speed HDMI®® with Ethernet
- 10 and 12 meters passive Standard HDMI®

PLENUM RATED COMMERCIAL GRADE

GOOD

- 15m and longer feature RedMere® Chipsets
 - 15m and longer are directional
 - Supports 1080P, Audio Return (8-12m CEC)
 - Available in 8,10,12, 15 and 23 meters
 - Black with black molded heads







HDMI CABLE SOLUTIONS

- · Wide selection
- · UL, CSA and RoHS
- · High quality product
- · Competitive pricing
- · Economy and premium levels
- · High Speed HDMI®
- · Copper and Fiber versions
- · Plenum, non-Plenum and AWM rated



BEST

BEST

BEST

BETTER

GOOD

BEST

DI-HFC SERIES DIGITALINX PLENUM RATED OPTIC HDMI WITH DETACHABLE HEADS



- Plenum rated cable for all installations
- Ultra-Small diameter cable
- Detachable HDMI TX and RX units from main body
- · No external power needed, uses equipment power

HYBRID COPPER/FIBER

- NEC CMP-OF, CEC FT6, HDCP 2.2, RoHS Compliant
- Lengths: 25, 35, 50 and 75 feet
- HDMI High Speed, 21.0 Gbps, 4Kx2K@60Hz, 3D, all audio

DL-AOCHP SERIES LIBERTY PLENUM HYBRID FIBER HDMI



- Polymer 4-Fiber combined with copper wires
- Super small flat profile cable
- Extremely low bend radius
- NEC CMP, CEC CMP FT6, RoHS compliant

HYBRID FIBER/COPPER HIGH SPEED

- Directional Cables
- 6.75 Gbps, 1080P Video, All HDMI® Audio
- Lengths from 10 to 60 meters
- · Gray Jacket with Black ABS heads

HD-1000 SERIES PPC® LOCKING HIGH SPEED HDMI WITH ETHERNET



- 28 AWG copper TMDS pairs
- True Locking HDMI® feature up to 25 lbs+
- CL2, CMG FT4, RoHS compliant
- 10.2 Gbps, 4K Video, all HDMI® Audio formats

MAXIMUM LOCKING PERFORMANCE PACKAGE

- Supports CEC, Audio Return and Ethernet
- Available in 2,4,8,16,25,35 and 50 foot lengths
- 16 feet and up are active and directional
- Gray with Gloss Nickel Metal Hoods

HD-700 SERIES PPC® LOCKING HIGH SPEED HDMI WITH AUDIO RETURN





- 28 AWG copper TMDS pairs
- True Locking HDMI® feature up to 25 lbs+
- CL2, CMG FT4, RoHS compliant
- 10.2 Gbps, 4K Video, all HDMI® Audio formats

LOCKING PERFORMANCE PACKAGE

- Supports CEC, Audio Return and Ethernet
- Available in 2,4,8,16,25,35 and 50 foot lengths
- 16 feet and up are active and directional
- Black with Gun Metal Metallic Hoods

HD-600 SERIES PPC® HIGH RETENTION HIGH SPEED HDMI WITH ETHERNET





- 28 AWG copper TMDS pairs
- High Retention plugs up to 12 lbs
- CL2, CMG FT4, RoHS compliant
- 10.2 Gbps, 4K Video, all HDMI® Audio formats

IDEAL FOR BUDGET CONSCIOUS INSTALLATIONS

- Supports CEC, Audio Return and Ethernet
- Available in 3, 6, and 12 foot lengths
- Black with black ABS boods

DFO-1000P CELERITY PLENUM RATED FIBER OPTIC HDMI LONG DISTANCE CABLE





- Fiber Ontic Ribbon Cables
- Detachable HDMI® TX and RX modules
- Handles up to 60 lbs of pull force
- OFNP FT6 rated, RoHS Compliant
- Miniature molded micro USB format (not USB)



Detachable HDMI connector makes pre-wiring of the fiber optic cable as easy as plug & play

Thumb latch and release feature

PLENUM RATED FIBER FEATURING DETACHABLE HEADS

- 21.0 Gbps, 4K@60Hz ready, all HDMI® audio
- Supports CEC, Audio Return
- Lengths from 35 to 1000 feet
- · Requires powered receptacles on both sides
- Black cable and black ABS ends and modules



Detachable Fiber Optic HDMI Connector (USB power required on the receiver side of the installation)

HD TERMINATION

TERMINATE IN 5 MINUTES! Perfect for HD custom cable lengths in the field!



- Customize your HD cable lengths to professionally dress racks & minimize excess cable
- Supports HDMI with ethernet, CEC and bi-directional audio formats
- Send 1080p video up to 55ft with optional extender








DL-HDMHT

















RUN WITH US

HEADQUARTERS 11675 Ridgeline Drive Colorado Springs, Colorado

Colorado 80921 USA

Phone: 719-260-0061 Fax: 719-260-0075

Toll-Free: 800-530-8998 Order E-Mail: orders@libav.com EAST COAST OFFICE AND WAREHOUSE FACILITY

5521 Lakeview Rd. Suite W Charlotte, North Carolina 28269 USA

Phone: 719-260-0061 Fax: 719-260-0075

Toll-Free: 800-530-8998

Order E-Mail: orders@libav.com **PANELCRAFTERS DIVISION**

4219 East Broadway Rd.

Suite 102

Phoenix, Arizona

85040 USA

Phone: 602-438-7100

Fax: 602-437-1182

Toll-Free: 800-263-6591

Email:

sales@panelcrafters.com

ICION

INTELIX DIVISION

8001 Terrace Ave. Suite 201

Suite 201

Middleton, Wisconsin

53562 USA

Phone: 608-831-0880

Fax: 608-831-1833

Toll-Free: 866-462-8649

Email:

intelix@intelix.com