


CATEGORY CABLE SOLUTIONS



Liberty offers Category Cable in Category 5e, 6, 6 Augmented and Category7 in plenum and riser ratings with a choice of shielded and unshielded formats.

Liberty's EN series is a step above the rest with positive ACR values to 350 MHz for Category 5e and 500 MHz for Category 6. Need a good performing cable at a lower cost? Our HomeTrax™ was recently upgraded to CMR fire ratings and positive ACR to 200 MHz for Category 5e and 300 MHz for Category 6. That's better than most others 350 and 550 MHz offerings on the market. The higher frequency threshold the ACR stays above zero – the better the cable.

Our Category7 shielded plenum and nonplenum additions are perfect for 4K and HDBaseT infrastructures!



WWW.LibAV.COM | 800.530.8998

RUN WITH US





CATEGORY CABLE SOLUTIONS

- ·Truly 3rd party certified by UL or ETL
- · Absolutely compliant!
- · High quality product
- ·Competitive pricing

- ·Cool Spool® reels and payout boxes
- ·Category 5e, 6, 6A, and Category 7
- ·Shielded and unshielded
- ·Plenum and Riser rated



24-4P-L7SH	SHIELDED S/FTP ISO 11801 CLASS F CATEGORY 7	HIGH QUALITY FOR SUPERIOR PERFORMANCE		BEST
		Solid annealed bare copper conductors HDPE or FEP insulation Individually shielded pairs w/overall braid CM or CMP rated, RoHS compliant	Cool Spool Reels ISO 11801 Class F, AKA Category 7 10 Gigabit Ethernet/4K HDBaseT Blue jacket only	
24-4P-P-L7SH	SHIELDED S/FTP ISO 11801 CLASS F CATEGORY 7 - PLENUM	HIGH QUALITY FOR SUPERIOR PERFORMANCE		BEST
		Solid annealed bare copper conductors HDPE or FEP insulation Individually shielded pairs w/overall braid CM or CMP rated, RoHS compliant Plenum rated	 Cool Spool Reels ISO 11801 Class F, AKA Category 7 10 Gigabit Ethernet/4K HDBaseT Blue jacket only 	
24-4P-L6-EN	EN SERIES CATEGORY 6	HIGH QUALITY FOR SUPERIOR PERFORMANCE		BEST
		 Solid annealed bare copper conductors HDPE or FEP insulation Tightly twisted and unshielded CMR or CMP rated, RoHS compliant 	 Cool Spool Reels ANSI/TIA-568C Verified Category 6 Positive ACR to 550 MHz 10 colors 	
24-4P-P-L6-EN	EN SERIES CATEGORY 6 - PLENUM	HIGH QUALITY FOR SUPERIOR PERFORMANCE		BEST
		 Solid annealed bare copper conductors HDPE or FEP insulation Tightly twisted and unshielded CMR or CMP rated, RoHS compliant 	 Cool Spool Reels ANSI/TIA-568C Verified Category 6 Positive ACR to 550 MHz 10 colors 	
24-4P-L6ASH	SHIELDED F/UTP CATEGORY 6A	HIGH QUALITY FOR SUPERIOR PERFORMANCE		BETTER
		 Solid annealed bare copper conductors HDPE or FEP insulation Tightly twisted and overall foil shielded CMR or CMP rated, RoHS compliant 	 Cool Spool Reels ANSI/TIA-568C Verified Category 6A 10 Gigabit Ethernet/HDBaseT White jacket only 	
24-4P-P-L6ASH	SHIELDED F/UTP CATEGORY 6A - PLENUM	HIGH QUALITY FOR SUPERIOR PERFORMANCE		BETTER
		 Solid annealed bare copper conductors HDPE or FEP insulation Tightly twisted and overall foil shielded CMR or CMP rated, RoHS compliant 	 Cool Spool Reels ANSI/TIA-568C Verified Category 6A 10 Gigabit Ethernet/HDBaseT White jacket only 	
24-4P-L6SH	SHIELDED F/UTP CATEGORY 6	HIGH QUALITY FOR SUPERIOR PERFORMANCE		BETTER
		 Solid annealed bare copper conductors HDPE or FEP insulation Tightly twisted and overall foil shielded CMR or CMP rated, RoHS compliant 	 Cool Spool Reels ANSI/TIA-568C Verified Category 6 Positive ACR past 300 MHz 3 colors 	
24-4P-P-L6SH	SHIELDED F/UTP CATEGORY 6 - PLENUM	HIGH QUALITY FOR SUPERIOR PERFORMANCE		BETTER
		Solid annealed bare copper conductors HDPE or FEP insulation Tightly twisted and overall foil shielded CMR or CMP rated, RoHS compliant	 Cool Spool Reels ANSI/TIA-568C Verified Category 6 Positive ACR past 300 MHz 3 colors 	





CATEGORY CABLE SOLUTIONS

- · Truly 3rd party certified by UL or ETL
- · Absolutely compliant!
- · High quality product
- · Competitive pricing

- · Cool Spool® reels and payout boxes
- · Category 5e, 6, 6A, and Category 7
- · Shielded and unshielded
- · Plenum and Riser rated



24-4P-L5SH-EN SHIELDED F/UTP CATEGORY 5E	HIGH QUALITY FOR SUPERIOR PERFORMANCE		BETTER
	Solid annealed bare copper conductors HDPE or FEP insulation Tightly twisted and overall foil shielded CMR or CMP rated, RoHS compliant	Cool Spool Reels ANSI/TIA-568C Verified Category 5e Positive ACR past 200 MHz 4 colors	
24-4P-P-L5SH SHIELDED F/UTP CATEGORY 5E - PLENUM	HIGH QUALITY FOR SUPERIOR PERFORMANCE		BETTER
	 Solid annealed bare copper conductors HDPE or FEP insulation Tightly twisted and overall foil shielded CMR or CMP rated, RoHS compliant 	Cool Spool Reels ANSI/TIA-568C Verified Category 5e Positive ACR past 200 MHz 4 colors	
24-4P-L5-EN EN SERIES CATEGORY 5E	HIGH QUALITY FOR SUPERIOR PERFORMANCE		BETTER
	 Solid annealed bare copper conductors HDPE or FEP insulation Tightly twisted and unshielded CMR or CMP rated, RoHS compliant 	Cool Spool Reels and Nested Boxes ANSI/TIA-568C Verified Category 5E Positive ACR to 350 MHz 10 colors	
24-4P-P-L5-EN EN SERIES CATEGORY 5E - PLENUM	HIGH QUALITY FOR SUPERIOR PERFORMANCE		BETTER
	Solid annealed bare copper conductors HDPE or FEP insulation Tightly twisted and unshielded CMR or CMP rated, RoHS compliant	Cool Spool Reels and Nested Boxes ANSI/TIA-568C Verified Category 5E Positive ACR to 350 MHz 10 colors	
24-4P-L5SH-HT HOMETRAX™ SHIELDED F/UTP CATEGORY 6	IDEAL FOR BUDGET CONSCIOUS INSTALLATIONS		BETTER
	Solid annealed bare copper conductors HDPE or FEP insulation Tightly twisted and overall foil shielded CMR rated, RoHS compliant	 Plain wooden spools ANSI/TIA-568C Verified Category 5e 3 colors 	
24-4P-L6-HT HOMETRAX™ CATEGORY 6	IDEAL FOR BUDGET CONSCIOUS INSTALLATIONS		BETTER
	Solid annealed bare copper conductors High Density Polyethylene Insulation Tightly twisted and unshielded NEC CMR, CEC CMR FT4, RoHS compliant	Nested box packaging only ANSI/TIA-568C Verified Category 6 Positive ACR to 275 MHz 4 colors	
24-4P-L5-HT HOMETRAX™ CATEGORY 5E	IDEAL FOR BUDGET CONSCIOUS INSTALLATIONS		BETTER
	 Solid annealed bare copper conductors High Density Polyethylene Insulation Tightly twisted and unshielded NEC CMR, CEC CMR FT4, RoHS compliant 	Nested box packaging only ANSI/TIA-568C Verified Category 5E Positive ACR to 200 MHz 4 colors	

