



Discover Liberty's New Products

Stay on top of the latest trends

MSRP | 2024



ELECTRONICS: Team Up+ Series

TU-HUC42-KIT DUAL OR SINGLE-SCREEN COLLABORATION SWITCHER/EXTENDER/HUB



- Switch AV & USB sources on both sides of HDBaseT 3.0 circuit including dual screen support for BYOM applications
- 4x2 when combined with RX. TX can be purchased separately and used as a 2x1 standalone switcher for smaller single-screen applications

SHIPPING / MSRP \$1680 USD

- Dual AV plus USB host inputs on RX support room PCs located at display location
- Supports uncompressed HDMI 2.0 4K video
- Switch between HDMI & USB-C on TX or RX
- USB3.0 hub and auto switches for BYOM environments
- Auto-switching, TCP/IP, or RS232 controllable

DL-SC41U-TX / DL-SCU-RX 4X1 OR 5X2 W/ USB SWITCHER/EXTENDER



TAA
COMPLIANT

- Auto-switching conferencing system that supports soft codecs such as Skype, GoTo Meeting
- Can be used standalone as 4x1 or with optional HDBT receiver as 5x2
- Utilizes HDBT 2.0, can extend HDMI and USB 2.0
- Balanced stereo audio output
- Built-in relay control to automatically turn projector

NOW SHIPPING / MSRP \$1524 USD

- 2 HDMI, 1 DP, USB-C, plus additional HDMI input on RX
- HDMI output at TX, HDBT output
- 2 USB-B host ports + 2 USB-A device ports located on TX, 2 USB-A client ports located at RX
- Controllable via RS232, IP or front panel
- Supports HDMI 2.0b 4K60 4:4:4, HDCP2.2, HDR
- USB-C charging up to 40W when powered locally

DL-SC41UP-BXTX 4X1+1 AUTO-SWITCHING TABLE BOX W/ HDBASET



- 4x1 auto switcher built into table box
- 3 HDMI & 1 USB-C input
- HDMI and mirrored HDBaseT out
- CEC & RS232 simple display control powers on/off display
- USB-B host ports and USB-A client ports for peripherals

NOW SHIPPING / MSRP \$1743 USD

- Ports on bottom for room PC
- USB-C provides device power and acts as USB host
- Includes AC power and USB-A charging port
- Becomes a 5x1 and adds 2 more USB-A ports when used with HDBaseT receiver

DL-SC31U-BX 3X1 TABLE BOX FOR HUDDLE & CONFERENCE ROOMS



- 2 HDMI and 1 USB-C inputs
- USB 3.0 hub on top and bottom of box
- USB-C passes AV and power, plus acts as a host port

NOW SHIPPING / MSRP \$1041 USD

- Auto-switching
- CEC & RS232 simple display control powers on/off display
- Small footprint at roughly 4" x 4"

DL-SCU33-SW 4K60 WEB-CONFERENCING SWITCHER/HUB



TAA
COMPLIANT

- Enables multi-format switching between BYOM (bring your own meeting) devices (such as laptops) and dedicated room systems (such as Zoom, Teams, etc.)
- Provides AV switching and USB routing for BYOM and cloud-based conferencing applications

NOW SHIPPING / MSRP \$840 USD

- Allows USB peripherals to switch between dedicated room systems & BYOM devices
- Dual-screen capability is available even in BYOM mode, providing a seamless experience for the user by mirroring content onto the second display

TU-USB-VIDEOBAR USB 3.0 VIDEO SOUNDBAR



- 4K HD, USB soundbar with a 120°FOV
- Smart AI auto-framing using facial detection and voice tracking
- 6 built-in digital array microphones capturing audio up to 6 meters away

IN DEVELOPMENT / MSRP TBD

- Perfect for small to medium spaces
- Package includes: mounting bracket, remote, power supply, and USB 3.0 cable

ELECTRONICS: Team Up+ Series

DL-USB-360MIC USB-AND ANALOG OMNIDIRECTIONAL MICROPHONE

NOW SHIPPING / MSRP \$137 USD



- Captures sounds up to 4m radius with 360° coverage with noise-canceling microphone array
- 360° sensitivity pickup range – picks up sound equally from all around the mic so you can move around freely – 10x better than traditional computer microphones

- Built-in mute button – quickly mute/unmute mic with the simple press of a button
- Completely plug and play, NO additional driver or software required to be recognized by the computer
- Built-in LED indicator light shows the mute/unmute status

DL-USB-360SPKMIC USB SPEAKERPHONE WITH HUB

NOW SHIPPING / MSRP \$172 USD



- Male HDMI connectors for direct connection to noise-canceling microphone array capture sounds up to 5-8m radius with 360° sensitivity
- Move freely – picks up sound equally from all around the microphone so you can move around freely – 10x better than the traditional computer microphone

- Built-in mute, volume +, and volume - buttons allow one to quickly manage the audio within the space with a simple press of a button
- Plug and play – no drivers, sound card, or phantom power supply needed
- 3-meter long attached USB-A cable

DL-4USB-PHUB 4-PORT POWERED USB 3.0 COMMERCIAL HUB

NOW SHIPPING / MSRP \$85 USD



- Expansion: Instantly grow from 1 USB port to 4, each equipped with USB 3.0 technology capable of data at speeds up to 5Gbps – connect various USB peripherals to your laptop or personal computer, such as web cameras, microphones, cable cards, and disk drives
- Commercial design: Eliminate cable clutter; metal chassis with vented slots for heat dissipation, provided brackets and screws allow you to mount behind a display or underneath a conference table

- Protection: Overcurrent, overvoltage, and other advanced safety features allow you to maintain and protect your connected devices
- Data transfer rate: Up to 5Gbps shared between all ports
- Power: Each USB port can receive up to 5v, 1A
- Backwards compatible: USB 3.0/ USB 2.0/ USB 1.1

DL-7USB-PHUB 7-PORT POWERED USB 3.0 COMMERCIAL HUB

NOW SHIPPING / MSRP \$132 USD



- Expansion: Instantly grow from 1 USB port to 7, each equipped with USB 3.0 technology, capable of data at speeds up to 5Gbps – connect various USB peripherals to your laptop or personal computer, such as web cameras, microphones, cable cards, and disk drives
- Commercial design: Eliminate cable clutter; metal chassis with vented slots for heat dissipation, provided brackets and screws allow you to mount behind a display or underneath a conference table

- Protection: Overcurrent, overvoltage, and other advanced safety features allow you to maintain and protect your connected devices
- Data transfer rate: Up to 5Gbps shared between all ports
- Power: Each USB port can receive up to 5v, 1A
- Backwards compatible: USB 3.0/ USB 2.0/ USB 1.1

DL-N5USB-PHUB 4-PORT POWERED USB 3.0 HUB W/IP CONTROL

NOW SHIPPING / MSRP \$293 USD



- 1 host and 4 client USB3.0 hub to expand connectivity
- Power injected to each port to accommodate higher power draws from cameras and other connected devices
- Built-in web GUI with scheduling for standalone or scheduled power cycling

- IP port and API for remote monitoring, third-party control, and power cycling
- Perfect for collaboration spaces with multiple USB peripherals requiring power
- Power cycle individual ports to reboot connected peripherals or to use as USB client device switcher

ELECTRONICS: Team Up+ Series

DL-4USB-HUBP POWERED USB 4-PORT USB 3.0 HUB



- 4-in-1 Liberty powered USB hub expands the limited USB connectivity and power of your computer by offering a USB hub with power insertion using the provided external power supply and USB-Adapter for connecting to any device
- USB-A 3.1 Gen.1 male connection with 4x USB-A 3.0 female, 1x USB-micro female power port, LED indicator, and 1x USB-A female to USB-C male adapter

NOW SHIPPING / MSRP \$53 USD

- Gen USB 3.1 while being fully backward compatible for USB 3.0/ USB 2.0/ USB 1.1
- USB 3.0 data transfer rate: Up to 5Gbps shared between ports
- USB-micro power port: Insert up to 2 amps of additional power delivery, intended for powering USB peripherals such as web cameras

8N1USB-HUB ADVANCED 8-IN-1 USB-C MULTI-PORT HUB



- 8-in-1 Liberty USB-C hub expands the limited USB connectivity of your computer with an HDMI output port, a gigabit Ethernet port (RJ-45 port), a USB-C charging port, three USB 3.0 ports, and SD and TF card slots
- USB-C 3.1 Gen.1 male connection with 1x RJ45 female, 1x HDMI female, 3x USB-A 3.0 female, 1x USB-C female PD charging port, 1x SD/TF slot
- Video resolutions: Supports a full range of resolutions up to 4K UHD 3840x2160 @ 30Hz, 2k, 1080p, 720p, 480p

NOW SHIPPING / MSRP \$72 USD

- Ethernet data transfer rate: Pass up to 1 gigabit of Ethernet speed
- USB 3.0 compliance: Gen USB 3.1 while being fully backward compatible for USB 3.0/ USB 2.0/ USB 1.1
- USB 3.0 data transfer rate: Up to 5Gbps shared
- USB-C 3.0 PD charging port: Up to 100 watts of power delivery, intended ONLY for a laptop, mobile, and tablet charging

DL-SDI2USB-CAP SDI TO USB CAPTURE DEVICE W/LOOP OUT



- 1 USB 3.0 output, 1 SDI input, 1 SDI output
- Record, convert, and stream HD video, up to 1080P/60Hz plus audio, from an SDI signal
- 1080p @ 60 input with a loop-through SDI output

NOW SHIPPING / MSRP \$304 USD

- Completely plug and play, NO additional driver, no power supply required, and no software required to be recognized by the computer
- Ideal for PTZ cameras with SDI output being used in UC collaboration spaces
- Compatible with Windows 7, Windows8, Windows8.1, Windows10 or later, Linux OS, Mac OS operating systems

TU-HD2USB-CAP4K 4K HDMI TO USB CAPTURE DEVICE



- HDMI to USB capture card
- Supports video capture up to 4K
- Supports USB3
- HDMI loop out

COMING SOON / MSRP \$293 USD

TU-USB-CEILINGMIC2 USB 2.0 AUDIO PROCESSOR WITH TWO CEILING MICROPHONES



- Omnidirectional ceiling microphones
- Acoustic echo cancellation, adaptive noise suppression and intelligent mixing functions
- Actual microphone color is white

NOW SHIPPING / MSRP \$945.28 USD

- Perfect for small to medium spaces
- Package includes: mounting bracket, processor, cabling, two microphones

ELECTRONICS: Team Up+ Series

DL-USB-PTZ10-W / DL-USB-PTZ10-B USB2.0 PTZ CAMERA

NOW SHIPPING / MSRP \$811 USD



- PTZ camera with resolution support up to 1080P
- 10x optical zoom
- Includes wall mount
- Perfect for education and collaboration spaces
- Product available in black and white

DL-USB-PTZ20-W USB3.0 PTZ CAMERA

NOW SHIPPING / MSRP \$1680 USD



- 3.0 PTZ camera with resolution up to 1080P
- Optical zoom up to 20x
- Ships with wall mount
- Perfect for classrooms, training centers, and collaboration spaces

ELECTRONICS: Intelix

INT-USB3.1-ARJ USB3.X C-C 10-METER EXTENSION SET

NOW SHIPPING / MSRP \$1429 USD



- Extend USB 3, 2, 1 signals up to 10m with included 10m plenum-rated cable
- Specifically designed with enhanced hardware for video applications requiring perfect isochronous (ISO) data transactions up to 3.1 (5Gbps) including cameras up to 4K
- Bus powered: Provides up to 900mA power from host to client side without a power supply when using a USB-C host
- Mounting hardware included
- Small size makes it easy to mount and hide
- Tested and compatible with many popular USB 3 cameras from companies such as Liberty, Logitech, Aver, Lumens, and others
- Tested and compatible with popular USB video & video capture devices such as Logitech Tap, Magwell Capture, Yuan Capture, DisplayLink, VR devices, and others

INT-USB3-C USB3 EXTENDER CLIENT

COMING SOON / MSRP \$418.96 USD



- USB 3.2 extension up to 100m
- USB 3.2 Gen1 5Gbps data transfer
- Backwards compatible USB 2.0 and 1.1
- Hardware acceleration for isochronous and bulk transfer
- Plug-and-play operation
- FSYNC GPIO passthrough for industry camera use

INT-USB3-HWP USB3 EXTENDER HOST

COMING SOON / MSRP \$418.96 USD



- USB 3.2 extension up to 100m
- USB 3.2 Gen1 5Gbps data transfer
- Backwards compatible USB 2.0 and 1.1
- Hardware acceleration for isochronous and bulk transfer
- Plug-and-play operation
- FSYNC GPIO passthrough for industry camera use

ELECTRONICS: DigilIP

IPEX6001 10GB 4K60 4:4:4 AV OVER IP ENCODER

NOW SHIPPING / MSRP \$945.28 USD



- Fully routable, zero latency HDMI 2.0 signals up to 4K60 4:4:4 over standard 10Gb Ethernet
- Low-cost option for basic AV routing and distribution
- Individually route HDMI, RS232, IR, and Gigabit Ethernet
- Supports PoE
- Simple configuration and management with Arranger Web-based Wizard

IPEX6002 10GB 4K60 4:4:4 AV OVER IP DECODER

NOW SHIPPING / MSRP \$945.28 USD



- Fully routable, zero latency HDMI 2.0 signals up to 4K60 4:4:4 over standard 10Gb Ethernet
- Low-cost option for basic AV routing and distribution
- Individually route HDMI, RS232, IR, and Gigabit Ethernet
- Supports PoE
- Simple configuration and management with Arranger Web-based Wizard

IPEX6000TCUD-C SDVOE DANTE & ICORN USB OVER IP TRANSCEIVER

NOW SHIPPING / MSRP \$1,892.64 USD



- Fully routable zero latency HDMI 2.0 signals up to 4K60 4:4:4 over standard 10GbE
- Integrated Icorn USB high speed 2.0 support. USB can be switched independently to other Icorn-based USB products
- Transceiver can act as an encoder and a decoder at the same time
- Supports HDR10+ & Dolby Vision
- Dante audio in both encoder & decoder mode; 7.1 multi-channel audio
- Extends 1Gbps Ethernet, RS232, IR, & USB HID
- Video wall and multi-view support
- Fully interoperable with other SDVoE devices
- Easy to configure using Arranger Web-based Wizard

IPEX6000TC-C 6000 SERIES SDVOE TRANSCEIVER COPPER

NOW SHIPPING / MSRP \$1258 USD



- Fully routable zero-latency HDMI signals up to 4K60 4:4:4 over standard 10G network
- Transceiver acts as an encoder or decoder
- Supports HDR10+ & Dolby Vision
- Simultaneous two-way extension. Transceiver can act as an encoder and a decoder at the same time, perfect for remote sources
- Extends 1Gbps Ethernet, RS232, and IR
- HDCP compliant
- Supports video walls up to 16x16
- Supports multi-view up to 9 sources on a single screen

IPEX6000TC-F 6000 SERIES SDVOE TRANSCEIVER FIBER

NOW SHIPPING / MSRP \$1236 USD



- Fully routable zero-latency HDMI signals up to 4K60 4:4:4 over standard 10G fiber network
- Transceiver acts as an encoder or decoder
- Supports HDR10+ & Dolby Vision
- Simultaneous two-way extension. Transceiver can act as an encoder and a decoder at the same time, perfect for remote sources
- Extends 1Gbps Ethernet, RS232, and IR
- HDCP compliant
- Easy to configure using Liberty AV's Arranger software
- Supports video walls up to 16x16
- Supports multi-view up to 9 sources on a single screen

ELECTRONICS: DigiIP

IPEX6001U-WP-W 6000 SERIES SDVOE WALL PLATE ENCODER

NOW SHIPPING / MSRP \$2061 USD



- HDMI & USB-C auto switching inputs
- Fully routable USB2.0 High Speed with Isochronous data support
- USB can be routed independantly to stand alone USB end points from the USB-C or USB-B host connection
- Supports PoE+
- Includes optional power supply to inject power over USB-C for device charging.
- Pass-through 1Gbps ethernet
- True Zero latency
- 4K60 4:4:4, HDR, and Dolby Vision Support
- Compatible with all other 6000 series SDVoE decoders and transceivers.

IPEX6002U-WP-W 6000 SERIES SDVOE WALL PLATE ENCODER

NOW SHIPPING / MSRP \$2103 USD



- HDMI output, 1Gbps ethernet pass-through, and client USB ports
- USB ports support Isochronous data from 6000 wall plate encoder or stand alone USB end points
- 4K60 4:4:4, HDR, and Dolby Vision support
- Supports PoE+
- Compatible with all other 6000 series SDVoE encoders and transceivers.

IPEXAR-2200, 5000, 6000 ARRANGER CONTROLLER FOR DIGIIP

NOW SHIPPING / MSRP \$925 USD



- System controller for DigiIP Systems
- Comes preloaded with Arranger software which configures, manages, and controls DigiIP devices on a network
- Auto ON feature, server powers on automatically when power is present
- Requires license key which is provided upon purchase
- Optional managed services and analytics license allows you to gather data about how the system is used and to receive system error notifications by email
- Optional UI creator control system license allows you to build unlimited user interfaces to control the IP video system as well as other components via Ethernet, IR, and serial

IPEX-USB2-C & -H FULLY ROUTABLE / SWITCHABLE HIGH-SPEED USB2.0 OVER IP

NOW SHIPPING / MSRP \$705 USD



- Route and switch multiple client/remote USB devices to a single host over an IP network
- Switch and route multiple host devices
- Extend USB2.0 high-speed up to 100m over standard 1Gbps LAN
- Share a LAN with DigiIP AV products for AV and USB routing
- Supports isochronous data for maximum compatibility with USB cameras

ELECTRONICS: DigiIP

IPEX1001 ZERO CONFIG/PROCESSOR AV OVER IP ENCODER

NOW SHIPPING / MSRP \$377 USD



- 1000 series encoder supports resolutions up to 1080P with no processor or network config required
- All setup done via Ipad/phone app
- Supports video walls
- Drag and drop source switching

- Fast switching
- Works with managed or unmanaged switches
- Perfect for simple video distribution projects

IPEX1002 ZERO CONFIG/PROCESSOR AV OVER IP DECODER

NOW SHIPPING / MSRP \$377 USD



- 1000 series decoder supports resolutions up to 1080P with no processor or network config required
- All setup done via Ipad/phone app
- Supports video walls
- Drag and drop source switching

- Fast switching
- Perfect for simple video distribution projects

IPEX5101 1GB ENCODER: 4K60 4:4:4 AV WITH DANTE AUDIO SUPPORT

NOW SHIPPING / MSRP \$1,134.74



- Fully routable AV over IP encoder over 1Gbps network
- Simple configuration using Arranger Web-based Wizard
- Supports 4K60 4:4:4, Dolby Vision, HDR10 and 7.1 Audio

- USB supports isochronous data up to 150Mbps. (For 480Mbps USB switching and routing use IPEX-USB2)
- Dante audio support
- TAA Compliant

IPEX5102 1GB DECODER: 4K60 4:4:4 AV OVER WITH DANTE AUDIO SUPPORT

NOW SHIPPING / MSRP \$1,134.74



- Fully routable AV over IP decoder over 1Gbps network
- Simple configuration using Arranger Web-based Wizard
- Supports 4K60 4:4:4, Dolby Vision, HDR10 and 7.1 Audio

- USB supports isochronous data up to 150Mbps (For 480Mbps USB switching and routing use IPEX-USB2)
- Dante audio support
- TAA Compliant

IPEX5101UD-WP 1GB WALL PLATE ENCODER: 4K60 4:4:4 DUAL INPUT, AUTO-SWITCHING HDMI + USB/USB-C

NOW SHIPPING / MSRP \$1,261.08



- Simple configuration using Arranger Web-based Wizard
- Supports HDMI 4K60 4:4:4 and 7.1 audio
- Supports Dante audio
- USB-C port supports ALT-DP (simultaneous AV, USB, & device charging*) *Using optional PS-20V-6A

- Dual Power, PoE or DC power input.
- USB supports isochronous data up to 150Mbps. (For 480Mbps USB switching and routing use IPEX-USB2)
- TAA Compliant

ELECTRONICS: Networking

NGS-IPV16 PRE-CONFIGURED AV OVER IP 24/16-PORT NETWORK SWITCHES

COMING SOON / MSRP TBD



- 16-port managed with PoE
- Comes pre-configured out of the box for DigiiP and other AV/IP systems
- Up to 30w per port PoE

NETGEAR NETWORKING PRE-CONFIGURED NETWORKING FOR AV / IP

NOW SHIPPING / MSRP MODEL DEPENDENT



- Pre-Configured 1Gbps Network Switches
- Pre-Configured 10Gbps Network switches
- AV over IP Network design assistance

ELECTRONICS: Control

IPEXAR-UIC ARRANGER UI CREATOR ETHERNET SYSTEM CONTROLLER

NOW SHIPPING / MSRP \$1280 USD



- On-premise software-based Ethernet system controller
- Create and customize web-based user interfaces and QR codes for AV system control
- No programming languages required
- Controls up to 3 devices per license. Add more devices in increments of 3 using AGR-UI-1
- Controls any AV device via Ethernet, IR and serial
- Compatible with ALL Global Cache devices for serial, IR, contact closure, sensor, and relay control
- Auto ON server feature, server powers on automatically when power is present

Global Cache Devices

NOW SHIPPING / MSRP DEVICE DEPENDENT



- Native integration with Arranger. Configure without leaving Arranger for DigiiP and Arranger standalone UI creator systems
- Turn non-IP control into IP control. IR, RS232, contact closure, etc. controlled seamlessly via IP

ELECTRONICS: DigitalInx

DL-1H1V-WPKT-H2 HDMI & VGA 18G 4K AUTO-SWITCHING WALL PLATE EXTENDER SET

NOW SHIPPING / MSRP \$758 USD



- Complete set includes wall-plate TX, RX, power supply, cover plate
- Extend HDMI up to 4K60 4:4:4 or VGA w/audio signals up to 70 meters
- HDCP2.2 compliant
- Extends RS232 and 1-way PoC power from RX to wall-plate TX

DL-2H-WPKT-H2 TWO-INPUT 18G 4K AUTO-SWITCHING HDMI WALL PLATE EXTENSION KIT

NOW SHIPPING / MSRP \$834 USD



- Complete set includes wall-plate TX, RX, power supply, cover plate
- Auto switch and extend HDMI up to 4K60 4:4:4 signals up to 70 meters
- HDCP2.2 compliant
- Extends RS232 and 1-way PoC power from RX to wall-plate TX

DL-1H1A1UCWP-H3 18GB AUTO-SWITCHING HDMI/USB-C EXTENDER OVER HDBASET 3

NOW SHIPPING / MSRP \$1,261.06 USD



- Uncompressed HDMI over HDBaseT 3
- USB-C passes AV via ALT-DP, acts as a USB host, and charges connected devices with optional second power supply
- HDMI/USB-C auto switching based on video sense or 5V detection
- Supports HDR, HDR10+, Dolby Vision LLM, HLG
- Supports USB2.0 High Speed (1) Host (2) Clients on TX, (2) Clients on RX
- Supports Isochronous USB data for maximum camera compatibility
- Audio de-embed on RX

DL-1H1A1UWP-H3 18G 4K60 HDMI AND USB2 HIGH-SPEED EXTENDER

NOW SHIPPING / MSRP \$1,261.06 USD



- Uncompressed HDMI 2.0 extension over HDBaseT 3.0
- 4K60 4:4:4 to 40m over Cat6a or above, 4K60 4:2:0 to 70m
- Supports HDR, HDR10+, Dolby Vision LLM, HLG
- Supports USB2.0 High Speed (1) Host (2) Clients on TX, (2) Clients on RX
- Supports Isochronous USB data for maximum camera compatibility
- Audio de-embed on RX
- Includes 24VDC 1A power supply and mounting ears

DL-1H1A1UB-H3 4K HDMI & USB HDBASET 3.0 EXTENSION SET

NOW SHIPPING / MSRP \$966 USD



- Box format transmitter and receiver set with accessories
- Uncompressed HDMI 2.0 extension featuring HDBaseT 3.0
- HDMI 2.0b, HDCP 2.2 18Gbps 4K60 4:4:4 to 40m, 10.2Gbps 4K60 4:2:0 to 70m
- Supports HDR, HDR10+, Dolby Vision LLM, HLG
- HDBaseT3.0 provides nearly double the USB speeds vs HDBaseT2.0
- Supports USB2.0 high-speed (1) host (2) clients on TX, (2) clients on RX
- Supports isochronous USB data for maximum camera compatibility
- Supports 3.5mm analog audio pass-through TX-RX
- Includes 24VDC 1A power supply and 4 mounting ears

ELECTRONICS: DigitalLinx

DL-HDE100ARC-H3 18GB HDBASET 3 EXTENDER WITH EARC, 1GB ETHERNET, AUDIO DE-EMBEDDING AND CONTROL



TAA
COMPLIANT

- Transmit flawless zero-latency video up to 4K60 4:4:4
- HDR10, Dolby Vision, Dolby Atmos, DTS-X, 7.1 digital audio

SHIPPING / MSRP \$1,261.06 USD

- eARC / ARC, pass Gigabit Ethernet
- IR, RS232, CEC, and Ethernet control protocols

DL-HDM88AS-H2 8X8 HDMI MATRIX SWITCHER



TAA
COMPLIANT

- All HDMI I/O support 4K60 4:4:4 HDR
- Digital and analog de-embedded audio outputs
- Supports IR, RS232, and LAN control
- DIP switch for EDID management

NOW SHIPPING / MSRP \$2,734.74

- Open Telnet API, RS232 protocol for 3rd party control
- TAA Compliant

DL-HDM44AS-H2 4X4 HDMI MATRIX SWITCHER



TAA
COMPLIANT

- All HDMI I/O support 4K60 4:4:4 HDR
- Digital and analog de-embedded audio outputs
- Supports IR, RS232, and LAN control

NOW SHIPPING / MSRP \$587.38

- DIP switch for EDID management
- Open Telnet API, RS232 protocol for 3rd party control
- TAA Compliant

DL-PSMV62 MULTI-FORMAT PRESENTATION SWITCH W/HDBT & MULTIVIEW



TAA
COMPLIANT

- 6x1+1 (HDMI & mirrored HDBT outputs) 4K presentation switcher w/HDBT out
- Inputs include HDMI, DP, & USB-C
- Supports multi-view with 16 different pre-configured multi-view modes & custom mode for custom window sizing
- USB-C supports AV via ALT-DP and charging power for connected device

NOW SHIPPING / MSRP \$2,120 USD

- Integrated scaling up to 4K
- Seamless switching & auto-switching
- Use as a 4x1+1 in auto-switching or multi-view mode (Inputs 3 and 4 offer selectable input types) or 6x1+1 when used as a standard switcher & controlled via API
- HDCP 2.2 compliant
- Pair with DL-HD70-RX HDBaseT receiver as needed

DL-HD70-RX HDBASET 70M RECEIVER



TAA
COMPLIANT

- HDMI transmission up to 230 feet (70m)
- Extends 4K up to 40 meters and 1080P up to 70 meters
- CEC supported
- Built-in surge protection
- Diagnostic LEDs

NOW SHIPPING / MSRP \$305 USD

- HDCP compliant
- Bidirectional wideband IR and RS232 pass-through
- Flexible power design (use power supply at TX or RX)
- Locking power connector
- Receiver for DL-PSMV62

ELECTRONICS: Digitalinx

DL-HD12-H2 1x2 HDMI 2.0 DA

NOW SHIPPING / MSRP \$137 USD



- 1 in 2 out HDMI distribution amplifier/splitter
- HDMI 2.0 4K@60Hz 4:4:4 HDCP 2.2 compliant
- Each output can independently support automatic
- Supports multiple HDR formats including HDR10 and Dolby

- Fully supports audio formats in HDMI 2.0 specification including PCM 2.0/5.1/7.1, Dolby TrueHD, Dolby Atmos
- Input/output HDMI cable length up to 10m+10m

DL-HD14-H2 HDMI DA 1:4 4K 18G

NOW SHIPPING / MSRP \$193 USD



- 1 in 4 out HDMI distribution amplifier/splitter
- HDMI 2.0 4K@60Hz 4:4:4 HDCP 2.2 compliant
- Each output can independently support automatic
- Supports multiple HDR formats including HDR10 and Dolby

- Fully supports audio formats in HDMI 2.0 specification including PCM 2.0/5.1/7.1, Dolby TrueHD, Dolby Atmos
- Input/output HDMI cable length up to 10m+10m

DL-HD70-H3 HDBASET 3.0 UNCOMPRESSED 18G HDMI 70M EXTENSION SET

NOW SHIPPING / MSRP \$945 USD



- Uncompressed HDMI 2.0 4K60 4:4:4 extension over category cable
- HDR10+ & Dolby Vision support
- Extend HDMI, IR, RS232 up to 70m

- Flexible power allows device to be powered on either end

DL-HDE100-H3 HDBASET3.0 UNCOMPRESSED 18G HDMI 100M EXTENSION SET

NOW SHIPPING / MSRP \$1218.96 USD



- Uncompressed HDMI 2.0 4K60 4:4:4 extension over category cable
- HDR10+ & Dolby Vision support
- Extend HDMI, gigabit Ethernet, IR, & RS232 up to 100m

- Flexible power allows device to be powered on either end

DL-EARCEXT-H2 eARC AUDIO EXTENDER

NOW SHIPPING / MSRP \$398 USD



- eARC audio only extender
- Supports HDMI 2.0 18G 4K60
- Perfect for TV apps and local sources delivering eARC back to the AVR

- Supports all eARC supported Dolby/DTS audio formats
- Toslink output for ARC

DL-EDHDMGR 18G 4K60 EDID & HDCP MANAGER

NOW SHIPPING / MSRP \$166 USD



- In line EDID manager with easy dip switch selection
- In line HDCP management for maximum device compatibility

- CEC block / pass-through

PRE-MADE CABLE: Liberty



Halo, Zero-G, and Comet Series also available in bulk contractor packs!

INTERGALACTIC 48GBPS ULTRA-PREMIUM CERTIFIED 8K-10K HDMI CABLES

NOW SHIPPING / MSRP DEPENDENT ON LENGTH



TAA COMPLIANT

- Ultra-premium certification supports resolutions up to 10K
- Supports HDMI 48Gbps
- Silver-plated conductors for flawless signal transmission
- eARC support
- 4K, 8K, 10K support

- Orbit cable identification rings
- L-Grip high-retention connector
- Metal head for superior EMI shielding
- Braided cable jacket for ultimate feel, flexibility, and presentation

NEBULA 48 / 18GBPS ULTRA & PREMIUM CERTIFIED HDMI CABLES

NOW SHIPPING / MSRP DEPENDENT ON LENGTH



TAA COMPLIANT

- Ultra-premium & premium (length dependent) certified HDMI cables
- In-wall rated (certain lengths)
- 4K, 8K, 10K support

- Orbit cable identification rings
- L-Grip high-retention connectors
- Flexible design for easy installation
- Active technology at longer lengths to maintain perfect signal integrity

HALO PREMIUM 18GBPS 4K60 HDMI CABLES

NOW SHIPPING / MSRP DEPENDENT ON LENGTH



TAA COMPLIANT



- Flexible, install-friendly HDMI cables capable of 18Gbps bandwidth
- Over a dozen lengths available
- In-wall rated
- Orbit cable identification rings
- Lengths 4m and longer

- L-Grip high-retention connectors
- Thin OD and flexible jackets for patching
- High-quality multipurpose, integration-friendly HDMI cable
- Available in Liberty Cube bulk packs

ZERO-G 18GBPS 4K60 ULTRA-FLEXIBLE USER-FRIENDLY HDMI CABLES

NOW SHIPPING / MSRP DEPENDENT ON LENGTH



TAA COMPLIANT



- 18Gbps capable cable
- Super flexible, zero memory, easy to handle, soft jacket compound for table-top user applications
- Low-retention high-quality connectors for easy removal from user devices
- Orbit cable identification rings

- Perfect for collaboration spaces and cable dressing
- Available in Liberty Cube bulk packages

COMET 10.2GBPS 4K HDMI CABLES

NOW SHIPPING / MSRP DEPENDENT ON LENGTH



TAA COMPLIANT



- Simple / affordable HDMI cables
- Supports resolutions up to 4K
- Indent for optional Orbit identification rings
- Available in Liberty Cube bulk packages



BULK CONTRACTOR PACKS



RESEALABLE PACKAGING

ADAPTERS: Liberty

DL-AR ALL-NEW ADAPTER LINE/RING FOR SIMPLE AND CLEAN CONFIGURATION



NOW SHIPPING / MSRP DEPENDENT ON CONFIGURATION

- All-new clamp allows for line or ring configuration
- New clamp offers much easier assembly
- Updated 4K adapters
- Online configurator offers both options
- Teleportivity SmartTag can be added for easy access to service

USBC2RJ45 USB-C TO GIGABIT ETHERNET ADAPTER



NOW SHIPPING / MSRP \$32 USD

- Connection speeds: Supports 10/100/1000BaseT meaning up to 1Gbps
- Interface: 1 x USB-C 3.0 port
- Power requirements: Bus power for USB port
- LED Indicator: Built-in LED indicator
 - Yellow light: Ethernet connected;
 - Green light: network data is being transferred
- Commercial design: Premium aluminum alloy casing
- Dimensions: 8.25" (17.5CM) housing 60x24x17.02mm
- Package includes: 1 x USB-C network adapter, 1 x spec sheet

USBA2RJ45 COMPACT USB-A TO RJ45 ADAPTOR



NOW SHIPPING / MSRP \$33.68 USD

- Supports 10/100/1000BaseT
- Backwards compatible with 100Mbps/10Mbps networks
- Supports downloads at maximum speeds without interruption

ALL-NEW HDMI CABLE PACKAGING



Bulk contractor packs including various quantities of cables



Resealable packaging with viewing window to easily identify and store unused cables

