

Liberty

Discover Innovative Technology

Stay on top of the latest trends



ELECTRONICS: Team Up+ Series

TU-DS42U3-H3

DUAL DISPLAY SWITCHER EXTENDER WITH HDBASET3.0, DISPLAYLINK AND DP-MST SUPPORT

- 4x2 BYOM conference presentation switch, integrating video, audio, USB, control and ethernet.
- Dual USB-C and dual HDMI + USB-B inputs, and all ports support cable lock connections
- Two Full-featured USB-C inputs, supports 4K video, USB 3 data, Gigabit ethernet, and 60W charging function on both USB-C inputs
- USB-C input supports DP alt mode, and dual screen outputs via MST + DisplayLink technology for single cable dual screen experience
- Supports automatic switching, button switching, API switching and Web UI control
- Provide one balanced audio output port for connecting audio equipment
- Provides an independent Dante RJ45 port, supporting PCM Dante audio output
- Supports USB 3.2 Extension



Dante



TU-DS42U3-RX



TU-DS42-RX

COMING SOON

TU-HUC42-KIT

DUAL OR SINGLE-SCREEN COLLABORATION SWITCHER/EXTENDER/HUB

- Switch AV & USB sources on both sides of HDBaseT 3.0 circuit including dual screen support for BYOM applications
- Dual AV plus USB host inputs on RX support room PCs located at display location
- 4x2 when combined with RX. TX can be purchased separately and used as a 2x1 standalone switcher for smaller single-screen applications
- Supports uncompressed HDMI 2.0 4K video
- Switch between HDMI & USB-C on TX or RX
- USB3.0 hub and auto switches for BYOM environments
- Auto-switching, TCP/IP, or RS232 controllable



TAA
COMPLIANT

NOW SHIPPING

DL-SC31U-BX

3X1 TABLE BOX FOR HUDDLE & CONFERENCE ROOMS

- 2 HDMI and 1 USB-C inputs
- USB 3.0 hub on top and bottom of box
- USB-C passes AV and power, plus acts as a host port
- Auto-switching
- CEC & RS232 simple display control powers on/off display
- Small footprint at roughly 4" x 4"



NOW SHIPPING



DL-SCU33-SW

4K60 WEB-CONFERENCE SWITCHER/HUB

- Enables multi-format switching between BYOM (bring your own meeting) devices (such as laptops) and dedicated room systems (such as Zoom, Teams, etc.)
- Provides AV switching and USB routing for BYOM and cloud-based conferencing applications
- Allows USB peripherals to switch between dedicated room systems & BYOM devices
- Dual-screen capability is available even in BYOM mode, providing a seamless experience for the user by mirroring content onto the second display

TAA
COMPLIANT

NOW SHIPPING



TU-MVB-AI

4K VIDEO SOUND BAR WITH PRESENTER & SPEAKER TRACKING & AUTO FRAMING

- 4K USB Video Sound Bar
- USB-C & 3.5mm audio output, & output for optional expansion mic
- Presenter tracking actively pans, tilts, and zooms the current presenter
- Built in AEC, Background Noise reduction, & auto gain control
- Software application available for camera modes and adjustments
- Includes adjustable table stand / monitor / wall mount, power supply, 5m USB C-A cable and Magnetic Lens Cap

NOW SHIPPING

TU-MEMIC

EXPANSION TABLE MIC FOR TU-MVB-AI VIDEO BAR

- Expansion Mic for greater room coverage with mute
- 4x Digital Mic array
- Designed specifically to expand the range of TU-MVB-AI for medium and larger conference rooms
- AEC, auto gain control, & background noise reduction built in
- LED Mic/Mute status indicator
- Includes 6m cable for connection to video bar



NOW SHIPPING



TU-MCAM4K

4K USB WEB CAM WITH PRESENTER TRACKING AND AUTO FRAMING

- Adjustable field of view (65 / 78 / 93 degrees)
- Built in Mic with integrated noise reduction
- AI Light compensation auto adjusts for bright backgrounds
- ePTZ with 5X Digital Zoom
- Software available for camera and AI adjustments
- Built in privacy shutter
- Includes flexible mount/stand and A-C 1.5m USB cable

NOW SHIPPING

ELECTRONICS: Team Up+ Series



NOW SHIPPING

DL-USB-360MIC

USB-AND ANALOG OMNIDIRECTIONAL MICROPHONE

- Captures sounds up to 4m radius with 360° coverage with noise-canceling microphone array
- 360° sensitivity pickup range — picks up sound equally from all around the mic so you can move around freely — 10x better than traditional computer microphones
- Built-in mute button — quickly mute/unmute mic with the simple press of a button
- Completely plug and play, NO additional driver or software required to be recognized by the computer
- Built-in LED indicator light shows the mute/unmute status



NOW SHIPPING

DL-USB-360SPKMIC

USB SPEAKERPHONE WITH HUB

- Male HDMI connectors for direct connection to noise-canceling microphone array capture sounds up to 5-8m radius with 360° sensitivity
- Move freely — picks up sound equally from all around the microphone so you can move around freely — 10x better than the traditional computer microphone
- Built-in mute, volume +, and volume - buttons allow one to quickly manage the audio within the space with a simple press of a button
- Plug and play — no drivers, sound card, or phantom power supply needed
- 3-meter long attached USB-A cable



COMING SOON

TU-CAPDOC32-4K

3X2 HDMI, HDBASET, & SDI DOCKING STATION INPUTS WITH BUILT IN CAPTURE CARDS & USB-C HOST PORT

- Supports HDMI, HDBaseT, & SDI inputs
- Built in capture card converts all input types to USB with support of resolutions up to 4K60 making these sources available for collaboration & content sharing applications
- Dual HDMI out with mirrored HDBaseT 3.0 output supports DisplayLink allowing for different content on local and connected display/monitor
- Analog audio embedding & de-embedding
- 4 port USB3 client hub
- EDID Management
- USB-C supports ethernet pass-through & 100w charging for single cable connectivity to host computers
- IP & RS232 connection for control and remote management



NOW SHIPPING

DL-4USB-PHUB

4-PORT POWERED USB 3.0 COMMERCIAL HUB

- Expansion: Instantly grow from 1 USB port to 4, each equipped with USB 3.0 technology capable of data at speeds up to 5Gbps — connect various USB peripherals to your laptop or personal computer, such as web cameras, microphones, cable cards, and disk drives
- Commercial design: Eliminate cable clutter; metal chassis with vented slots for heat dissipation, provided brackets and screws allow you to mount behind a display or underneath a conference table
- Protection: Overcurrent, overvoltage, and other advanced safety features allow you to maintain and protect your connected devices
- Data transfer rate: Up to 5Gbps shared between all ports
- Power: Each USB port can receive up to 5v, 1A
- Backwards compatible: USB 3.0/USB 2.0/USB 1.1



NOW SHIPPING

DL-7USB-PHUB

7-PORT POWERED USB 3.0 COMMERCIAL HUB

- Expansion: Instantly grow from 1 USB port to 7, each equipped with USB 3.0 technology, capable of data at speeds up to 5Gbps — connect various USB peripherals to your laptop or personal computer, such as web cameras, microphones, cable cards and disk drives
- Commercial design: Eliminate cable clutter; metal chassis with vented slots for heat dissipation, provided brackets and screws allow you to mount behind a display or underneath a conference table
- Protection: Overcurrent, overvoltage, and other advanced safety features allow you to maintain and protect your connected devices
- Data transfer rate: Up to 5Gbps shared between all ports
- Power: Each USB port can receive up to 5v, 1A Backwards compatible: USB 3.0/USB 2.0/USB 1.1



NOW SHIPPING

DL-N5USB-PHUB

4-PORT POWERED USB 3.0 HUB W/IP CONTROL

- 1 host and 4 client USB3.0 hub to expand connectivity
- Power injected to each port to accommodate higher power draws from cameras and other connected devices
- Built in web GUI with scheduling for standalone scheduled power cycling
- IP port and API for remote monitoring, third-party control, and power cycling
- Perfect for collaboration spaces with multiple USB peripherals requiring power
- Power cycle individual ports to reboot connected peripherals or to use as USB client device switcher



NOW SHIPPING

DL-4USB-HUBP

POWERED USB 4-PORT USB 3.0 HUB

- 4-in-1 Liberty powered USB hub expands the limited USB connectivity and power of your computer by offering a USB hub with power insertion using the provided external power supply and USB-Adapter for connecting to any device
- USB-A 3.1 Gen.1 male connection with 4x USB-A 3.0 female, 1x USB-micro female power port, LED indicator, and 1x USB-A female to USB-C male adapter
- Gen USB 3.1 while being fully backward compatible for USB 3.0/USB 2.0/USB 1.1
- USB 3.0 data transfer rate: Up to 5Gbps shared between ports
- USB-micro power port: Insert up to 2 amps of additional power delivery, intended for powering USB peripherals such as web cameras



NOW SHIPPING

8NIUSB-HUB

ADVANCED 8-IN-1 USB-C MULTI-PORT HUB

- 8-in-1 Liberty USB-C hub expands the limited USB connectivity of your computer with an HDMI output port, a gigabit Ethernet port (RJ-45 port), a USB-C charging port, three USB 3.0 ports, and SD and TF card slots
- USB-C 3.1 Gen.1 male connection with 1x RJ45 female, 1x HDMI female, 3x USB-A 3.0 female, 1x USB-C female PD charging port, 1x SD/TF slot
- Video resolutions: Supports a full range of resolutions up to 4K UHD 3840x2160 @ 30Hz, 2k, 1080p, 720p, 480p
- Ethernet data transfer rate: Pass up to 1 gigabit of Ethernet speed
- USB 3.0 compliance: Gen USB 3.1 while being fully backward compatible for USB 3.0/USB 2.0/USB 1.1
- USB 3.0 data transfer rate: Up to 5Gbps shared
- USB-C 3.0 PD charging port: Up to 100 watts of power delivery, intended ONLY for a laptop, mobile, and tablet charging

ELECTRONICS: Team Up+ Series



DL-SDI2USB-CAP

SDI TO USB CAPTURE DEVICE W/LOOP OUT

- 1 USB 3.0 output, 1 SDI input, 1 SDI output
- Record, convert, and stream HD video, up to 1080P/60Hz plus audio, from an SDI signal
- 1080p @ 60 input with a loop-through SDI output
- Completely plug and play, NO additional driver, no power supply required, and no

- software required to be recognized by the computer
- Ideal for PTZ cameras with SDI output being used in UC collaboration spaces
- Compatible with Windows 7, Windows8, Windows8.1, Windows10 or later, Linux OS, Mac OS operating systems

NOW SHIPPING



TU-HD2USB-CAP4K

4K HDMI TO USB CAPTURE DEVICE

- HDMI to USB capture card
- Supports video capture up to 4K

- Supports USB3
- HDMI loop out

NOW SHIPPING



TU-USB-CEILINGMIC2

USB 2.0 AUDIO PROCESSOR WITH TWO CEILING MICROPHONES

- Omnidirectional ceiling microphones
- Acoustic echo cancellation, adaptive noise suppression and intelligent mixing functions
- Actual microphone color is white

- Perfect for small to medium spaces
- Package includes: mounting bracket, processor, cabling, two microphones

NOW SHIPPING



DL-USB-PTZ10-W/DL-USB-PTZ10-B

USB2.0 PTZ CAMERA

- PTZ camera with resolution support up to 1080P
- 10x optical zoom
- Includes wall mount

- Perfect for education and collaboration spaces
- Product available in black and white

NOW SHIPPING



DL-USB-PTZ20-W

USB3.0 PTZ CAMERA

- 3.0 PTZ camera with resolution up to 1080P
- Optical zoom up to 20x
- Ships with wall mount

- Perfect for classrooms, training centers, and collaboration spaces

NOW SHIPPING

ELECTRONICS: Intelix Series

INT-USB3.1-ARJ

USB3.X C-C 10-METER EXTENSION SET



- Extend USB 3, 2, 1 signals up to 10m with included 10m plenum-rated cable
- Specifically designed with enhanced hardware for video applications requiring perfect isochronous (ISO) data transactions up to 3.1 (5Gbps) including cameras up to 4K
- Bus powered: Provides up to 900mA power from host to client side without a power supply when using a USB-C host
- Mounting hardware included

- Small size makes it easy to mount and hide
- Tested and compatible with many popular USB 3 cameras from companies such as Liberty, Logitech, Aver, Lumens, and others
- Tested and compatible with popular USB video & video capture devices such as Logitech Tap, Magwell Capture, Yuan Capture, DisplayLink, VR devices, and others

NOW SHIPPING

INT-USB3-C

USB3 EXTENDER CLIENT



- USB 3.2 extension up to 100m
- USB 3.2 Gen1 5Gbps data transfer
- Backwards compatible USB 2.0 and 1.1
- Hardware acceleration for isochronous and bulk transfer
- Plug-and-play operation
- FSYNC GPIO passthrough for industry camera use

TAA
COMPLIANT

INT-USB3-CWP

USB3.2 WALL PLATE CLIENT



- Extension of USB 3.2 Gen1 5Gbps data transfer
- Supports all transfer types including isochronous and bulk transfer
- Supports bidirectional 24V POC (power over cable)

NOW SHIPPING

NOW SHIPPING

INT-USB3-H

USB3 EXTENDER CLIENT



- USB 3.2 extension up to 100m
- USB 3.2 Gen1 5Gbps data transfer
- Backwards compatible USB 2.0 and 1.1
- RS-232 passthrough
- Plug-and-play operation
- FSYNC GPIO passthrough for industry camera use

TAA
COMPLIANT

INT-USB3-HWP

USB3 EXTENDER HOST



- USB 3.2 extension up to 100m
- Hardware acceleration for isochronous and bulk transfer
- FSYNC GPIO passthrough for industry camera use

NOW SHIPPING

NOW SHIPPING

INT-USB3MS-C

USB3.2 GEN1 5GBPS CLIENT / REMOTE SIDE EXTENDER WITH DISPLAYLINK



- Client / Remote 100m HDBaseT extender over Cat6A or above
- Built in DisplayLink technology offers screen extend support for PC's & Mac's with DisplayLink drivers
- USB-A client ports and dual HDMI outputs
- Pair with Host device INT-USB3-H or INT-USB3-HWP
- Dual HDMI outputs

TAA
COMPLIANT

COMING SOON

ELECTRONICS: DigiiP



IPEX6001

10GB 4K60 4:4:4 AV OVER IP ENCODER

- Fully routable, zero latency HDMI 2.0 signals up to 4K60 4:4:4 over standard 10Gb Ethernet
- Low-cost option for basic AV routing and distribution
- Individually route HDMI, RS232, IR, and Gigabit Ethernet
- Supports PoE
- Simple configuration and management with Arranger Web-based Wizard

NOW SHIPPING



IPEX6002

10GB 4K60 4:4:4 AV OVER IP DECODER

- Fully routable, zero latency HDMI 2.0 signals up to 4K60 4:4:4 over standard 10Gb Ethernet
- Low-cost option for basic AV routing and distribution
- Individually route HDMI, RS232, IR, and Gigabit Ethernet
- Supports PoE
- Simple configuration and management with Arranger Web-based Wizard

NOW SHIPPING



IPEX6000TCUD-C

SDVOE DANTE & ICORN USB OVER IP TRANSCEIVER

- Fully routable zero latency HDMI 2.0 signals up to 4K60 4:4:4 over standard 10GbE
- Integrated Icron USB high speed 2.0 support. USB can be switched independently to other Icron-based USB products
- Transceiver can act as an encoder and a decoder at the same time
- Supports HDR10+ & Dolby Vision
- Dante audio in both encoder & decoder mode; 7.1 multi-channel audio
- Extends 1Gbps Ethernet, RS232, IR, & USB HID
- Video wall and multi-view support
- Fully interoperable with other SDVoE devices
- Easy to configure using Arranger Web-based Wizard



NOW SHIPPING



IPEX6000TC-C

6000 SERIES SDVOE TRANSCEIVER COPPER

- Fully routable zero-latency HDMI signals up to 4K60 4:4:4 over standard 10G network
- Transceiver acts as an encoder or decoder
- Supports HDR10+ & Dolby Vision
- Simultaneous two-way extension. Transceiver can act as an encoder and a decoder at the same time, perfect for remote sources
- Extends 1Gbps Ethernet, RS232, and IR
- HDCP compliant
- Supports video walls up to 16x16
- Supports multi-view up to 9 sources on a single screen

NOW SHIPPING



IPEX6000TC-F

6000 SERIES SDVOE TRANSCEIVER FIBER

- Fully routable zero-latency HDMI signals up to 4K60 4:4:4 over standard 10G fiber network
- Transceiver acts as an encoder or decoder
- Supports HDR10+ & Dolby Vision
- Simultaneous two-way extension. Transceiver can act as an encoder and a decoder at the same time, perfect for remote sources
- Extends 1Gbps Ethernet, RS232, and IR
- HDCP compliant
- Easy to configure using Liberty AV's Arranger software
- Supports video walls up to 16x16
- Supports multi-view up to 9 sources on a single screen

NOW SHIPPING



IPEX6001U-WP-W

6000 SERIES SDVOE WALL PLATE ENCODER

- HDMI & USB-C auto switching inputs
- Fully routable USB2.0 High Speed with Isochronous data support
- USB can be routed independently to stand alone USB end points from the USB-C or USB-B host connection
- Supports PoE+
- Includes optional power supply to inject power over USB-C for device charging
- Pass-through 1Gbps ethernet
- True Zero latency
- 4K60 4:4:4, HDR, and Dolby Vision Support
- Compatible with all other 6000 series SDVoE decoders and transceivers

NOW SHIPPING



IPEX6002U-WP-W

6000 SERIES SDVOE WALL PLATE ENCODER

- HDMI output, 1Gbps ethernet pass-through, and client USB ports
- USB ports support Isochronous data from 6000 wall plate encoder or stand alone USB end points
- 4K60 4:4:4, HDR, and Dolby Vision support
- Supports PoE+
- Compatible with all other 6000 series SDVoE encoders and transceivers

NOW SHIPPING



IPEXAR-2200, 5100, 6000

ARRANGER PROCESSOR FOR DIGIIP

- System controller for DigiiP Systems
- Comes preloaded with Arranger software which configures, manages, and controls DigiiP devices on a network
- Auto ON feature, server powers on automatically when power is present
- Requires license key which is provided upon purchase
- Optional managed services and analytics license allows you to gather data about how the system is used and to receive system error notifications by email
- Optional UI creator control system license allows you to build unlimited user interfaces to control the IP video system as well as other components via Ethernet, IR, and serial

NOW SHIPPING

ELECTRONICS: DigiIP



IPEX-USB2-C & -H

FULLY ROUTABLE/SWITCHABLE HIGH-SPEED USB2.0 OVER IP

- Route and switch multiple client/remote USB devices to a single host over an IP network
- Switch and route multiple host devices
- Extend USB2.0 high-speed up to 100m over standard 1Gbps LAN
- Share a LAN with DigiIP AV products for AV and USB routing
- Supports isochronous data for maximum compatibility with USB cameras

NOW SHIPPING



TAA COMPLIANT Dante

IPEX5101

1GB ENCODER: 4K60 4:4:4 AV WITH DANTE AUDIO SUPPORT

- Fully routable AV over IP encoder over 1Gbps network
- Simple configuration using Arranger Web-based Wizard
- Supports 4K60 4:4:4, Dolby Vision, HDR10 and 7.1 Audio
- USB supports isochronous data up to 150Mbps. (For 480Mbps USB switching and routing use IPEX-USB2)
- Dante audio support
- TAA Compliant

NOW SHIPPING




TAA COMPLIANT Dante

IPEX5102

1GB DECODER: 4K60 4:4:4 AV OVER WITH DANTE AUDIO SUPPORT

- Fully routable AV over IP decoder over 1Gbps network
- Simple configuration using Arranger Web-based Wizard
- Supports 4K60 4:4:4, Dolby Vision, HDR10 and 7.1 Audio
- USB supports isochronous data up to 150Mbps. (For 480Mbps USB switching and routing use IPEX-USB2)
- Dante audio support
- TAA Compliant

NOW SHIPPING



TAA COMPLIANT Dante

IPEX5101UD-WP

1GB WALL PLATE ENCODER: 4K60 4:4:4 DUAL INPUT, AUTO-SWITCHING HDMI + USB/USB-C

- Simple configuration using Arranger Web-based Wizard
- Supports HDMI 4K60 4:4:4 and 7.1 audio
- Supports Dante audio
- USB-C port supports ALT-DP (simultaneous AV, USB, & device charging*) *Using optional PS-20V-6A
- Dual Power, PoE or DC power input
- USB supports isochronous data up to 150Mbps. (For 480Mbps USB switching and routing use IPEX-USB2)
- TAA Compliant

NOW SHIPPING



IPEX1001

ZERO CONFIG/PROCESSOR AV OVER IP ENCODER

- 1000 series encoder supports resolutions up to 1080P with no processor or network config required
- All setup done via Ipad/phone app
- Supports video walls
- Drag and drop source switching
- Fast switching
- Works with managed or unmanaged switches
- Perfect for simple video distribution projects

NOW SHIPPING



IPEX1002

ZERO CONFIG/PROCESSOR AV OVER IP DECODER

- 1000 series decoder supports resolutions up to 1080P with no processor or network config required
- All setup done via Ipad/phone app
- Supports video walls
- Drag and drop source switching
- Fast switching
- Perfect for simple video distribution projects

NOW SHIPPING



ELECTRONICS: Networking



NGS-IPV16

PRE-CONFIGURED AV OVER IP 24/16-PORT NETWORK SWITCHES

- 16-port managed with PoE
- Comes pre-configured out of the box for DigilP and other AV/IP systems
- Up to 30w per port PoE

COMING SOON



Netgear Networking

PRE-CONFIGURED NETWORKING FOR AV/IP

- Pre-Configured 1Gbps Network Switches
- Pre-Configured 10Gbps Network switches
- AV over IP Network design assistance

NOW SHIPPING

ELECTRONICS: Control



IPEXAR-UIC

ARRANGER UI CREATOR ETHERNET SYSTEM CONTROLLER

- On-premise software-based Ethernet system controller
- Create and customize web-based user interfaces and QR codes for AV system control
- No programming languages required
- Controls up to 3 devices per license. Add more devices in increments of 3 using AGR-UI-1
- Controls any AV device via Ethernet, IR and serial
- Compatible with ALL Global Cache devices for serial, IR, contact closure, sensor, and relay control
- Auto ON server feature, server powers on automatically when power is present

NOW SHIPPING



Global Cache Devices

- Native integration with Arranger. Configure without leaving Arranger for DigilP and Arranger standalone UI creator systems
- Turn non-IP control into IP control. IR, RS232, contact closure, etc. controlled seamlessly via IP

NOW SHIPPING

ELECTRONICS: DigitalInx



DL-1H1V-WPKT-H2

HDMI & VGA 18G 4K AUTO-SWITCHING WALL PLATE EXTENDER SET

- Complete set includes wall-plate TX, RX, power supply, cover plate
- Extend HDMI up to 4K60 4:4:4 or VGA w/audio signals up to 70 meters
- HDCP2.2 compliant
- Extends RS232 and 1-way PoC power from RX to wall-plate TX

NOW SHIPPING




DL-2H-WPKT-H2

TWO-INPUT 18G 4K AUTO-SWITCHING HDMI WALL PLATE EXTENSION KIT

- Complete set includes wall-plate TX, RX, power supply, cover plate
- Auto switch and extend HDMI up to 4K60 4:4:4 signals up to 70 meters
- HDCP2.2 compliant
- Extends RS232 and 1-way PoC power from RX to wall-plate TX

NOW SHIPPING



DL-1H1A1UCWP-H3

18GB AUTO-SWITCHING HDMI/USB-C EXTENDER OVER HDBASET 3

- Uncompressed HDMI over HDBaseT 3
- USB-C passes AV via ALT-DP, acts as a USB host, and charges connected devices with optional second power supply
- HDMI/USB-C auto switching based on video sense or 5V detection
- Supports HDR, HDR10+, Dolby Vision LLM, HLG
- Supports USB2.0 High Speed (1) Host (2) Clients on TX, (2) Clients on RX
- Supports Isochronous USB data for maximum camera compatibility
- Audio de-embed on RX

NOW SHIPPING



DL-1H1A1UWP-H3

18G 4K60 HDMI AND USB2 HIGH-SPEED EXTENDER

- Uncompressed HDMI 2.0 extension over HDBaseT 3.0
- 4K60 4:4:4 to 40m over Cat6a or above, 4K60 4:2:0 to 70m
- Supports HDR, HDR10+, Dolby Vision LLM, HLG
- Supports USB2.0 High Speed (1) Host (2) Clients on TX, (2) Clients on RX
- Supports Isochronous USB data for maximum camera compatibility
- Audio de-embed on RX
- Includes 24VDC 1A power supply and mounting ears

NOW SHIPPING

ELECTRONICS: DigitalLinX



DL-1H1A1UB-H3

4K HDMI & USB HDBASET 3.0 EXTENSION SET

- Box format transmitter and receiver set with accessories
- Uncompressed HDMI 2.0 extension featuring HDBaseT 3.0
- HDMI 2.0b, HDCP 2.2 18Gbps 4K60 4:4:4 to 40m, 10.2Gbps 4K60 4:2:0 to 70m
- Supports HDR, HDR10+, Dolby Vision LLM, HLG
- HDBaseT3.0 provides nearly double the USB speeds vs HDBaseT2.0
- Supports USB2.0 high-speed (1) host (2) clients on TX, (2) clients on RX
- Supports isochronous USB data for maximum camera compatibility
- Supports 3.5mm analog audio pass-through TX-RX
- Includes 24VDC 1A power supply and 4 mounting ears

NOW SHIPPING



DL-1H1A1UCB-H3

18G 100M UNCOMPRESSED HDMI 2.0 / USB-C AUTO SWITCHING 4K60 AND USB 2.0 HIGH SPEED EXTENDER SET WITH LOOP OUT & CLIENT HUB ON BOTH ENDS

- HDBaseT3.0 Uncompressed 4K60 & USB Transmitter & Receiver set with accessories
- Uncompressed HDMI 2.0 extension featuring HDBaseT 3.0 offers resolution support up to 4K60 4:4:4, control, and USB2.0 with isochronous data support for cameras and other USB peripherals
- HDMI / USB-C auto switching based on video sense or 5V detection
- USB-C full featured passes AV via ALT-DP, acts as a USB host, and provides up to 100w charging power to the host computer over USB-C
- HDMI 2.0b, HDCP 2.2 18Gbps 4K60 4:4:4 to 100m over Cat6a or above
- Supports HDR, HDR10+, Dolby Vision LLM, HLG
- Supports USB2.0 High Speed (1) Host (2) Clients on TX, (2) Clients on RX
- Supports Isochronous USB data for maximum camera compatibility
- Audio de-embed on both ends

COMING SOON



TAA
COMPLIANT

DL-HDE100ARC-H3

18GB HDBASET 3 EXTENDER WITH EARC, 1GB ETHERNET, AUDIO DE-EMBEDDING AND CONTROL

- Transmit flawless zero-latency video up to 4K60 4:4:4
- HDR10, Dolby Vision, Dolby Atmos, DTS-X, 7.1 digital audio
- eARC/ARC, pass Gigabit Ethernet
- IR, RS232, CEC, and Ethernet control protocols

NOW SHIPPING



TAA
COMPLIANT

DL-HDM88AS-H2

8X8 HDMI MATRIX SWITCHER

- All HDMI I/O support 4K60 4:4:4 HDR
- Digital and analog de-embedded audio outputs
- Supports IR, RS232, and LAN control
- DIP switch for EDID management
- Open Telnet API, RS232 protocol for 3rd party control
- TAA Compliant

NOW SHIPPING



TAA
COMPLIANT

DL-HDM44AS-H2

4X4 HDMI MATRIX SWITCHER

- All HDMI I/O support 4K60 4:4:4 HDR
- Digital and analog de-embedded audio outputs
- Supports IR, RS232, and LAN control
- DIP switch for EDID management
- Open Telnet API, RS232 protocol for 3rd party control
- TAA Compliant

NOW SHIPPING



TAA
COMPLIANT

DL-44E-H3-KIT

18G 4K60 4:4:4 4X4 MATRIX SWITCH WITH 100M HDBASET 3.0 UNCOMPRESSED OUTPUTS

- Supports Resolutions up to 4K60 4:4:4 Fully Uncompressed & all standard HDR formats including Dolby Vision & HDR10
- 4 x HDMI 2.0 Inputs
- 4 x HDBaseT 3.0 outputs support resolutions up to 4K60 up to 100 meter over Cat6A or above
- 4 x HDBaseT 3.0 Receivers included with HDMI, RS232, Gigabit Ethernet, IR, & eARC extension
- Supports ARC/eARC
- Built in audio matrix
- Auto 4K to 1080P downscaling for applications with mixed resolution displays
- Remote PoC Power from switcher to RX
- Full API for control via IR, RS232, TCP/IP
- Built in WebGui for settings and device control
- EDID & HDCP management

NOW SHIPPING



TAA
COMPLIANT

DL-PSMV62

MULTI-FORMAT PRESENTATION SWITCH W/HDBT & MULTIVIEW

- 6x1+1 (HDMI & mirrored HDBT outputs) 4K presentation switcher w/HDBT out
- Inputs include HDMI, DP, & USB-C
- Supports multi-view with 16 different pre-configured multi-view modes & custom mode for custom window sizing
- USB-C supports AV via ALT-DP and charging power for connected device
- Integrated scaling up to 4K
- Seamless switching & auto-switching
- Use as a 4x1+1 in auto-switching or multi-view mode (Inputs 3 and 4 offer selectable input types) or 6x1+1 when used as a standard switcher & controlled via API
- HDCP 2.2 compliant
- Pair with DL-HD70-RX HDBaseT receiver as needed

NOW SHIPPING



TAA
COMPLIANT

DL-HD70-RX

HDBASET 70M RECEIVER

- HDMI transmission up to 230 feet (70m)
- Extends 4K up to 40 meters and 1080P up to 70 meters
- CEC supported
- Built-in surge protection
- Diagnostic LEDs
- HDCP compliant
- Bidirectional wideband IR and RS232 pass-through
- Flexible power design (use power supply at TX or RX)
- Locking power connector
- Receiver for DL-PSMV62

NOW SHIPPING

ELECTRONICS: DigitalLinx



TAA
COMPLIANT

DL-HD70-H3

HDBASET 3.0 UNCOMPRESSED 18G HDMI 70M EXTENSION SET

- Uncompressed HDMI 2.0 4K60 4:4:4 extension over category cable
- HDR10+ & Dolby Vision support
- Extend HDMI, IR, RS232 up to 70m
- Flexible power allows device to be powered on either end
- Built in test pattern generator
- Low Bandwidth mode for maximum cable compatibility

NOW SHIPPING



TAA
COMPLIANT

DL-HDE100-H3

HDBASET3.0 UNCOMPRESSED 18G HDMI 100M EXTENSION SET

- Uncompressed HDMI 2.0 4K60 4:4:4 extension over category cable
- HDR10+ & Dolby Vision support
- Extend HDMI, gigabit Ethernet, IR, & RS232 up to 100m
- Flexible power allows device to be powered on either en
- Built in test pattern generator
- Low Bandwidth mode for maximum cable compatibility

NOW SHIPPING



DL-EARCEXT-H2

eARC AUDIO EXTENDER

- eARC audio only extender
- Supports HDMI 2.0 18G 4K60
- Perfect for TV apps and local sources delivering eARC back to the AVR
- Supports all eARC supported Dolby/DTS audio formats
- Toslink output for ARC

NOW SHIPPING



TAA
COMPLIANT

DL-EDHDMGR

18G 4K60 EDID & HDCP MANAGER

- In line EDID manager with easy dip switch selection
- In line HDCP management for maximum device compatibility
- CEC block/pass-through

NOW SHIPPING

PRE-MADE CABLES: HDMI



TAA
COMPLIANT

NOW SHIPPING

Intergalactic

48GBPS ULTRA-PREMIUM CERTIFIED 8K-10K HDMI CABLES

- Ultra-premium certification supports resolutions up to 10K
- Supports HDMI 48Gbps
- Silver-plated conductors for flawless signal transmission
- eARC support
- 4K, 8K, 10K support
- Orbit cable identification rings
- L-Grip high-retention connector
- Metal head for superior EMI shielding
- Braided cable jacket for ultimate feel, flexibility, and presentation



TAA
COMPLIANT

NOW SHIPPING

NEBULA

48/18GBPS ULTRA & PREMIUM CERTIFIED HDMI CABLES

- Ultra-premium & premium (length dependent) certified HDMI cables
- In-wall rated (certain lengths)
- 4K, 8K, 10K support
- Orbit cable identification rings
- L-Grip high-retention connectors
- Flexible design for easy installation
- Active technology at longer lengths to maintain perfect signal integrity



TAA
COMPLIANT

NOW SHIPPING

HALO

PREMIUM 18GBPS 4K60 HDMI CABLES

- Flexible, install-friendly HDMI cables capable of 18Gbps bandwidth
- Over a dozen lengths available
- In-wall rated
- Orbit cable identification rings
- Lengths 4m and longer
- L-Grip high-retention connectors
- Thin OD and flexible jackets for patching
- High-quality multipurpose, integration-friendly HDMI cable
- Available in Liberty Cube bulk packs



TAA
COMPLIANT

NOW SHIPPING

Zero-G

18GBPS 4K60 ULTRA-FLEXIBLE USER-FRIENDLY HDMI CABLES

- 18Gbps capable cable
- Super flexible, zero memory, easy to handle, soft jacket compound for table-top user applications
- Low-retention high-quality connectors for easy removal from user devices
- Orbit cable identification rings
- Perfect for collaboration spaces and cable dressing
- Available in Liberty Cube bulk packages



TAA
COMPLIANT

NOW SHIPPING

Comet

10.2GBPS 4K HDMI CABLES

- Simple/affordable HDMI cables
- Supports resolutions up to 4K
- Indent for optional Orbit identification rings
- Available in Liberty Cube bulk packages



Halo, Zero-G, and Comet Series also available in bulk contractor packs!

HDMI, the HDMI Logo, and High-Definition Multimedia Interface are trademarks or registered trademarks of HDMI Licensing LLC in the United States and other countries.



PRE-MADE CABLES: USB

USB 2.0

E-USB (E-USBXX-*) SERIES USB "A" MALE TO "B" MALE CONNECTIVITY

- USB 2.0 480Mbps
- 500mA 2.5W power
- AWM rated PVC jacketing
- A-A, A-AF, A-B, A-C formats
- 3, 6, 10, and 15 foot lengths
- Molded PVC connector housings
- USB 1.1, 2.0 and 3.0 Compliant
- AWM rated cable, not for in-wall use



NOW SHIPPING

USB 3.0

E-USB3 (E-USB3XX-**) SERIES USB "A" MALE TO "C" MALE CONNECTIVITY

- USB 3.x 5Gbps, C-C 10Gbps
- 3A 60W maximum power
- AWM rated PVC jacketing
- A-A, A-AF, A-B, A-C, and C-C formats
- A-A, A-AF, A-B in 3, 6, 10, and 15 foot lengths
- A-C and C-C in 1 and 2 meter lengths
- In-Line format, no panel mount option
- Molded PVC connector housings
- Backwards compatible to USB 3.0, 2.0, and 1.1
- Rated for 3A current and charging
- AWM rated cable, not for in-wall use



NOW SHIPPING

Zero-G

ZERO-GRAVITY (ZG-U**M) SERIES USB "A" MALE TO "C" MALE CONNECTIVITY

- USB 3.x 5Gbps, C-C 10Gbps
- 3A 60W maximum power
- Orbit ID rings and resealable bag packaging
- AWM rated ultra flexible silicone jacketing
- A-A, A-AF, A-B, A-C, and C-C formats
- 1, 2, and 3 meter lengths



TAA
COMPLIANT

NOW SHIPPING

HALO

HALO ACTIVE OPTICAL PLENUM (HALO-UPXX**M) SERIES USB "A" MALE TO "C" MALE CONNECTIVITY

- USB 3.x 10Gbps and ALT mode Video 4K60
- 900mA 4.5W PD power delivery all lengths
- Hybrid Fiber/Copper Plenum rated bulk cable
- Orbit ID rings and resealable bag/box packaging
- A-A, A-AF, A-C, and C-C formats
- 5, 8, 10, 15, 23, 30, 40, and 50 meter lengths



TAA
COMPLIANT

NOW SHIPPING



RESEALABLE PACKAGING

ADAPTERS

DL-AR

ALL-NEW ADAPTER LINE/RING FOR SIMPLE AND CLEAN CONFIGURATION

- All-new clamp allows for line or ring configuration
- New clamp offers much easier assembly
- Updated 4K adapters
- Online configurator offers both options
- Teleportivity SmartTag can be added for easy access to service



NOW SHIPPING

USBC2RJ45

USB-C TO GIGABIT ETHERNET ADAPTER

- Connection speeds: Supports 10/100/1000BaseT meaning up to 1Gbps
- Interface: 1 x USB-C 3.0 port
- Power requirements: Bus power for USB port
- LED Indicator: Built-in LED indicator – Yellow light: Ethernet connected; Green light: network data is being transferred
- Commercial design: Premium aluminum alloy casing
- Dimensions: 8.25" (17.5CM) housing 60x24x17.02mm
- Package includes: 1 x USB-C network adapter, 1 x spec sheet



NOW SHIPPING

USBA2RJ45


COMPACT USB-A TO RJ45 ADAPTOR

- Supports 10/100/1000BaseT
- Backwards compatible with 100Mbps/10Mbps networks
- Supports downloads at maximum speeds without interruption



NOW SHIPPING

ALL-NEW HDMI CABLE PACKAGING



Bulk contractor packs including various quantities of cables



Resealable packaging with viewing window to easily identify and store unused cables

ABOUT LIBERTY

Liberty has a complete technology system of adaptable, advanced infrastructure systems across **Audio/Visual, Security and Surveillance, Cable and Connectivity, Metals, Racks and Enclosures, Wireless and Distributed Antenna Systems, and Software and Services** — all backed by the support of knowledgeable in-house, customer service teams. With an ever-growing portfolio of products, Liberty has maintained both quality and personal connection to the installer, delivering products that are dependable, affordable, cutting edge, yet easy to install and user-friendly that support the toughest of technical requirements.

Find out more about Liberty at Libertyonline.com

A Complete Ecosystem of Integrated Technologies

