

MAXIMUM POWER NETWORK FUNCTIONALITY MINIMAL SPACE



PURPOSE-BUILT FOR IT APPLICATIONS

SRCOOL12K with SRCOOLNET has the remote management features, precise cooling control & unattended operation that IT managers need to protect IT equipment in IT environments.

SRCOOL12K Portable, self-contained computer room air conditioner provides 12,000 BTU of cooling capacity in a 12 x 20-inch footprint. Can be installed by almost anyone. Plugs into a standard 15-amp grounded outlet (5-15R). Does not require a drain or water collection tank.

SRCOOLNET Network accessory adds Ethernet interface to SRCOOL12K for remote management from any location via SNMP, Web, SSH or telnet. Supports centralized management through Tripp Lite's free PowerAlert software. Includes a temperature/humidity sensor with a 12-foot cord.

- A SRCOOL12K** Portable Air Conditioning Unit
- B SRCOOLNET** Remote Management Module
- C TEMPERATURE SENSOR** (Included with SRCOOLNET)
- D FLEXIBLE COOLING DUCT** (Included with SRCOOL12K)
- E REMOTE MANAGEMENT WORKSTATION** (Access units via SNMP, Web, SSH or telnet, including Tripp Lite's free PowerAlert software.)



TECH SPECS

REMOTE MANAGEMENT FEATURES	SRCOOL12K WITH SRCOOLNET	COMPETITORS' PORTABLE COOLING UNITS
Monitor temperatures from any location	YES, and humidity too.	NO, not unless you're right next to it
Change settings from any location	YES, including automated adjustments	NO, but it has a remote—like your TV
Receive alerts via e-mail, SMS or SNMP	YES, including threshold warnings	NO, but you might hear it beeping
Access detailed condition and event logs	YES, and see potential trouble spots before they cause downtime	NO, but you'll know something happened if your equipment fails
Supports centralized management	YES, through free PowerAlert® software	NO, remote management of any kind

PRECISE COOLING CONTROL

Direct cold air to a specific location	YES, through a flexible cooling duct	NO, but you can duct tape your own duct
Tie cooling settings & adjustments to measurements away from the main unit	YES, measure temperature & humidity up to 12ft away	NO, again—do you see a pattern here?

UNATTENDED OPERATION

Automatically restarts after a power failure	YES, automatically restarts with most-recent settings	NO, some units require manual restart & configuration
Automatically evaporates condensation measurements away from the main unit	YES, doesn't require a drain or water tank	NO, some units require emptying a water collection tank over and over

