

# CONNECTIVITY SOLUTIONS

EZLinx™ Termination System  
Molded Assemblies  
THX™ Certified Interconnects

Everything for  
the commercial  
and residential  
A/V Pro

**Liberty**  
Wire & Cable

ORDERING IS FAST & EASY, CALL TODAY!

**800-530-8998**

MOST ORDERS SHIPPED WITHIN 48 HOURS



## The Fast and Easy Solution for Conduit Installations

Save time and money on challenging installations with Liberty's proprietary EZLINX™ Termination System. This quick-connect solution, for A/V wiring, features the exclusive EZLINX component: a simple, fail-proof locking device that connects EZLINX cable with 14 termination options on either end — eliminating labor-intensive on-site terminations. Add the convenient EZLINX metal pull-cap for rapid installation, and you have a customizable connectivity solution that assembles quickly under the toughest field conditions.

The EZLINX termination system provides a complete solution for connecting cable to your device-to-device and device-to-control applications. Regardless of the connector style, EZLINX allows the professional AV installer to finish the installation simply, easily and efficiently.

Liberty's EZLINX system is comprised of two basic parts:

- The EZLINX cable, a 26 AWG with a threaded 13-pin female connector on each end
- 14 EZLINX Termination Options with a threaded male connector on one end and a broad selection of high-quality VGA, BNC, RCA, Analog DVI, S-Video and customizable options on the other

Liberty's EZLINX male-to-male cable adapters are the perfect solution for longer distances, and for shorter distances, our flexible termination options can be easily connected with our female to female cable adapter.

EZLINX solutions are also available in both a plate and panel-mounted style, providing the professional AV installer with the ultimate in complete connectivity.



### The Complete Solution

EZLINX connections are available in both plate and panel configurations which allow the total system to be completely integrated into the environment.

Our plates and panels are available in a broad assortment of VGA, BNC, RCA, Analog DVI and S-Video connector options. Liberty's stock plates and panels are offered in brushed aluminum, black, white, ivory and non-brushed aluminum. Custom colors, wood-grain matching and PMS colors are also available. Call us today for details.



EZLINX metal pull-cap

### EZLINX™ CABLE

Available in a variety of lengths, the 26 AWG Linx cable is easily pulled through conduit and uses a simple-to-use, fail-proof locking device to connect either end to a termination.

Length (ft.)	Connection	Part #
3, 6, 10, 25, 35, 50, 75, 100	13-Pin EZLINX Female to 13-Pin EZLINX Female bulk cable	EZ-LINX

### EZLINX™ ACCESSORIES

Length (in.)	Connection	Part #
10	13-Pin EZLINX Female to 13-Pin EZLINX Female adapter	EZ-LINX-ADAPTER
	Male to Male, connects two EZLINX bulk cables	EZ-ADAPTER-M
	Female to Female, connects two termination option cables	EZ-ADAPTER-F
	EZLINX metal pull-cap for cable pulling and end protection	EZ-LINX-CAP



## EZLINX™ TERMINATION OPTIONS

### Connect quickly and securely to a variety of termination options

The robust EZLINX system provides 14 termination options that include VGA, BNC, RCA, S-Video and analog DVI connectors. Or, if you have special applications, Liberty can customize a solution to fit your needs.


### MOLDED RCA CABLES

Molded RCA connectors are constructed for optimum contact between plug and jack. Available in 3 and 5 conductors, with both male or female ends.

Length (in.)	Connection	Part #
20	5 RCA Male to 13-Pin EZLINX Male	EZ-5RCAM
20	5 RCA Female to 13-Pin EZLINX Male	EZ-5RCAF
20	3 RCA Male to 13-Pin EZLINX Male	EZ-3RCAM
20	3 RCA Female to 13-Pin EZLINX Male	EZ-3RCAF

All EZLINX products have a low insertion loss of < 0.2 dB

RCA option EZ-5RCAF shown



The leads on EZLINX termination (molded assembly tail options) are 10 inches in length.



libertycable.com  
11675 Ridgeline Dr.  
Colorado Springs, CO 80921

800-530-8998

MOST ORDERS SHIPPED WITHIN 48 HOURS

FREE Technical Advice, Call Today!

# EZLINX™ TERMINATION SYSTEM


CALL 800-530-8998 TO ORDER

## MOLDED BNC CABLES

Terminated with 75-ohm BNC molded connectors and available in 3 and 5 conductors with male or female ends.

Length (in.)	Connection	Part #
20	5 BNC Male to 13-Pin EZLINX Male	<b>EZ-5BNCM</b>
20	5 BNC Female to 13-Pin EZLINX Male	<b>EZ-5BNCF</b>
20	3 BNC Male to 13-Pin EZLINX Male	<b>EZ-3BNCM</b>
20	3 BNC Female to 13-Pin EZLINX Male	<b>EZ-3BNCF</b>
20	3 BNC Male + 2 RCA Male to 13-Pin EZLINX Male	<b>EZ-3BNCM2RCAM</b>

BNC option  
EZ-3BNCM2RCAM  
shown



## MOLDED VGA CABLES

Terminated with molded HD15 hoods with thumbscrews. Compliant with ID bit/DDC communication requirements.

Length (in.)	Connection	Part #
20	HD15 Male to 13-Pin EZLINX Male	<b>EZ-VGAM</b>
20	HD15 Female to 13-Pin EZLINX Male	<b>EZ-VGAF</b>

VGA option  
EZ-VGAM  
shown



## MOLDED ANALOG DVI CABLE

This new Digital Visual Interface (DVI) cable adheres to the industry DVI protocol for your digital video installation. DVI option is analog only.

Length (in.)	Connection	Part #
20	DVI-A Male to 13-Pin EZLINX Male	<b>EZ-DVI/A</b>

ANALOG DVI option  
EZ-DVI/A  
shown



## MOLDED S-VIDEO/RCA CABLE

This cable provides an ideal A/V solution. It includes S-Video and Left/Right Stereo Audio RCAs.

Length (in.)	Connection	Part #
20	2 RCA Male + S-V Male to 13-Pin EZLINX Male	<b>EZ-SVM-L/R</b>

S-VIDEO/RCA option  
EZ-SVM-L/R  
shown



## MOLDED UNTERMINATED CABLES

This customizable solution allows the installer to terminate the cable end in the field with the appropriate connector needed for the job.

Length (in.)	Connection	Part #
20	Unterminated cable end to 13-Pin EZLINX Male	<b>EZ-CUSTOM</b>

When your installation project calls for a specific type of termination style, our customizable solution stands ready to deliver. Let our custom cable assembly area produce the correct termination for your project. Call us today for details.

Specifications Subject to Change. Photos of products not shown actual size. All products are patent pending.



Every option  
attaches in seconds

EZ-LINX 5RCAF option  
EZ-LINX-CABLE  
shown


**ORDERING IS FAST & EASY, CALL TODAY!**

**800-530-8998**

# MOLDED ASSEMBLIES

CALL 800-530-8998 TO ORDER

All molded assemblies constructed with high-quality 26 AWG COAX



RGBHV option  
E-5BNCM-M  
shown



RGB option  
E-3RCAM-M  
shown



S-VIDEO option  
E-SVM-2BNCF  
shown



DVI option  
Z400DVI-D/DL  
shown

## Professional High-Quality Appearance and Performance

When budgets or schedules are critical, Liberty's PVC pre-made molded RGB and VGA assemblies provide a level of quality unmatched in the marketplace. Our molded cables exceed industry performance standards providing a superior product at an economical price. Sleek design details include superior 26AWG conductors; elegant and durable strain relief molding.

### MOLDED RGB CABLES

Terminated with 75-ohm BNC connectors and available in 3 to 5 conductors. RCAs on 3-conductor cable have 6 slits (flutes) for optimum contact between plug and jack.

Length (ft.)	Connection	Part #
3, 6, 10, 20, 25, 50	5-conductor, BNC to BNC	E-5BNCM-M
3, 6, 10, 25, 50, 100	4-conductor, BNC to BNC	E-4BNCM-M
3, 6, 10, 25, 50, 100	3-conductor, BNC to BNC	E-3BNCM-M
1,3,6,10,15,25,35,50,75,100	3-conductor, RCA to RCA	E-3RCAM-M

### MOLDED VGA TO BNC BREAKOUT CABLES

For computer to projector or plasma connection.

Length (ft.)	Connection	Part #
3, 6, 15, 25, 50	HD15 Male to 5 BNC Male	E-VGAM-5BNCM
.5, 1, 3	HD15 Male to 5 BNC Female	E-VGAM-5BNCF

### MOLDED S-VIDEO CABLES

Need from Liberty. Terminated with molded HD15 hoods with thumbscrews. Compliant with ID bit/DDC communication requirements.

Length (ft.)	Connection	Part #
3, 6, 15, 25, 35, 50	S-Video Male to S-Video Male	E-SVM-M
6, 10, 15, 25, 35, 50	S-Video Male to 2 BNC Male, breakout	E-SVM-2BNCM
3, 6, 12, 15, 25	S-Video Male to 2 BNC Female, breakout	E-SVM-2BNCF

### MOLDED DIGITAL VIDEO INTERFACE

For high-speed and long-distance DVI signal transmission, Liberty's fiber optic DVI cables are the perfect solution. Available in custom lengths up to 700 meters (2,300 feet). Call today for details.

#### High Performance at Highly Competitive Prices.

Liberty meets the stringent demands of Digital Video Interface (DVI) standards in both copper and fiber optic platforms with a range of high performance products. From sleek, elegantly designed male-to-male DVI assemblies, to DVI-to-BNC breakout cables for projector installations, to high-speed and long-distance DVI signal transmission, Liberty DVI cable products meet exacting industry standards, while offering you highly competitive pricing.

### MOLDED DVI-D/DL DUAL-LINK CABLES

Length (ft.)	Connection	Part #
1, 2, 4, 6	DVI-D/DL Male to DVI-D/DL Male	Z400DVI-D/DL
.5, 1, 3	DVI-A Male to 5 BNC Female, breakout	E-DVI/A-5BNCF



libertycable.com  
11675 Ridgeline Dr.  
Colorado Springs, CO 80921

**800-530-8998**  
MOST ORDERS SHIPPED WITHIN 48 HOURS

**FREE Technical Advice, Call Today!**

# MOLDED ASSEMBLIES

CALL 800-530-8998 TO ORDER

## MOLDED HIGH-DEFINITION MULTIMEDIA INTERFACE

### MOLDED HDMI CABLES

The ultimate digital solution for the latest plasmas, projectors and DVD players! Liberty's High-Definition Multimedia Interface (HDMI) cables run multichannel video, audio and control down one cable to provide convenient and technically correct hook-ups.

Length (meters)	Connection	Part #
1, 2, 3, 5	HDMI Male to HDMI Male	E-HDMI
3	HDMI Male to DVI Male, breakout	E-HDMI-DVI

HDMI option  
E-HDMI  
shown



### MOLDED VGA CABLES

Terminated with molded HD15 hoods with thumbscrews. Compliant with ID bit/DDC communication requirements. Includes ferrite bead.

Length (ft.)	Connection	Part #
6, 10, 15, 25, 35, 50, 75, 100	HD15 Male to HD15 Male	E-VGAM-M
6, 10, 15, 25, 35, 50	HD15 Male to HD15 Female	E-VGAM-F
3, 6, 12, 15, 25	HD15 Male w/Audio	E-VGAMAM-M

VGA option  
E-VGA-F  
shown



## MOLDED PROJECTOR NET™ CABLE

### From Computer-to-Projector — It's Never Been Easier!

Combining VGA, Audio and Network cables into one cable, Liberty's ProjectorNet is a must-have solution for any presentation. Now connecting your laptop or standard computer for a corporate presentation has never been easier.

Projector Net™ option  
E-VGAANM-M-S  
shown



### MOLDED PROJECTOR NET™ CABLES

A manufactured bundle which contains the following components:

- VGA, Audio 3.5 stereo mini plug and CAT5E RJ45 network plug
- VGA and CAT5E cables are siamesed with the audio cable attached to VGA connector
- Audio and Network cables extend 2 feet past the VGA connector on each end
- Highly flexible PVC jacket. Includes ferrite bead.

**NEW**  
BETTER PRODUCTS, BETTER PRICES,  
Better Deals

Length (ft.)	Connection	Part #
5, 10, 15, 20, 25	HD15 Male w/Audio & RJ45 to HD15 Male w/Audio & RJ45	E-VGAANM-M-S

### Why do Liberty VGA Cables work so well?

Aside from being the best-designed product in the marketplace, Liberty's VGA cables employ a ferrite bead on all of our VGA-style cables. This added feature reduces electromagnetic interference (EMI) and radio frequency interference (RFI) transmissions from the environment resulting in greater signal protection.

## SATELLITE RADIO ANTENNA EXTENSION

CALL 800-530-8998 TO ORDER

### A Solution for Residential Projects Requiring Long Cable Runs

Liberty's Satellite Radio Antenna Extension System has been designed to provide an additional 50' of cable for home projects that require longer cable runs.



### SATELLITE RADIO ANTENNA EXTENSION

The system includes a 50' extension and an adapter so it will work with both Sirius and XM Satellite Radio Systems.

Length (ft.)	Connection	Part #
50	SMB Male to SMB Male	SATEXT-50

Satellite Radio option  
SATEXT-50  
shown



**NEW**  
BETTER PRODUCTS, BETTER PRICES,  
Better Deals

Specifications Subject to Change. Photos of products not shown actual size. All products are patent pending.

ORDERING IS FAST & EASY, CALL TODAY!

800-530-8998

# THX™ CERTIFIED Z-SERIES INTERCONNECTS

CALL 800-530-8998 TO ORDER

THX™ Certified Products from Liberty deliver cinema-quality picture and sound that's as faithful as possible to the director's design.

Today's big special-effects movies have hundreds of separate, independently recorded sound elements in the soundtrack such as dialogue, sound effects and music. Liberty's THX Certified Products ensure accurate sonic and video fidelity of each element delivering an experience comparable in sound and picture to a movie-house presentation.


Developed with the combined engineering excellence of THX and Liberty, our refined interconnect products create an unbelievable experience for your customers and a positive experience for you bottom line.

## Liberty's Interconnect Packaging Increases Profits



Liberty's customer-friendly interconnect packaging increases product inquiries and unit sales, as Liberty's price point advantages deliver more margin dollars. Customers love the fact that they can easily touch and inspect the high-quality craftsmanship — and warehouse managers like the preprinted scannable bar-code and labeling area.

### OCC Process



### Ohno Continuous Cast Copper makes Liberty Interconnects Scientifically Superior

Liberty Z-500 interconnects use Ohno Continuous Cast Copper, a special metallurgical process which creates the purest grade of copper and makes our copper one continual crystal. Our high-tech metallurgical casting process enhances image precision and sonic fidelity with unparalleled clarity and transparency.

## Z-500 THX™ SERIES THX

For sound and video performance that makes you feel as if you are right there! Our Z-500 series provides the ultimate level of sonic fidelity. Products are covered in a tight-fitting sensual nylon braid and terminated with white pearl/gold connectors.



### Z-500 INTERCONNECTS

OHNO Continuous Cast Copper Conductors take video/audio performance to a new level of integrity.

Length (meters)	Connection	Style	Color	Part #
.5, 1, 1.5, 2, 3, 4	Audio	Pair	Blue	Z500NATHX
.5, 1, 1.5, 2, 3, 4	Balanced Audio	Pair	Blue	Z500NBATHX
.5, 1, 1.5, 2, 3, 4	Component Video	Set	Red	Z500CVTHX
.5, 1, 1.5, 2, 3, 4	Digital Audio	Each	Green	Z500DTHX
.5, 1, 1.5, 2, 3, 4	S-Video	Each	Black	Z500SVTHX
.5, 1, 1.5, 2, 3, 4	TOSLink	Each	Silver	Z500NTOS
.5, 1, 1.5, 2, 3, 4	Video	Each	Yellow	Z500NVTHX

## Z-400 THX™ SERIES THX

When quality and performance are important to your customers, Liberty's oxygen-free Z-400 series provides the right solution. The cables are finished with a pearlized jacket and terminated with gunmetal/gold connectors.



### Z-400 INTERCONNECTS

Oxygen Free Copper Conductors take video/audio performance to a new level of integrity.

Length (meters)	Connection	Style	Color	Part #
.5, 1, 1.5, 2, 3, 4	Audio	Pair	Blue	Z400NATHX
.5, 1, 1.5, 2, 3, 4	Component Video	Set	Red	Z400CVTHX
.5, 1, 1.5, 2, 3, 4	Digital Audio	Each	Green	Z400DTHX
.5, 1, 1.5, 2, 3, 4	S-Video	Each	Gray	Z400SVTHX
.5, 1, 1.5, 2, 3, 4	Video	Each	Yellow	Z400NVTHX



libertycable.com  
11675 Ridgeline Dr.  
Colorado Springs, CO 80921

**800-530-8998**

**MOST ORDERS SHIPPED WITHIN 48 HOURS**

**FREE Technical Advice, Call Today!**

## Oxygen-Free Copper

This is 99.9% pure copper. Lower oxygen levels retard oxidation and corrosion of the cable keeping signal integrity solid and reliable. Liberty's OFC provides prolonged cable life and delivers improved dynamics and unrestricted high-frequency response.



## Z-300 THX™ SERIES

The Z-300 series interconnects provide quality THX Certified solutions at affordable prices. They feature 2 shields: 1 rubberized and 1 Oxygen Free Copper (OFC) for superior performance. This series is packaged in a solid color PVC jacket with an attractive black/gold connector.

### Z-300 INTERCONNECTS

Oxygen-Free Copper Conductors take video/audio performance to a new level of integrity.

Length (meters)	Connection	Style	Color	Part #
.5, 1, 1.5, 2, 3, 4	Audio	Pair	Blue	Z300NATHX
.5, 1, 1.5, 2, 3, 4	Component Video	Set	Red	Z300CVTHX
.5, 1, 1.5, 2, 3, 4	Digital Audio	Each	Green	Z300DTHX
.5, 1, 1.5, 2, 3, 4	Video	Each	Yellow	Z300NVTHX

Z-300 SERIES |



## Z-250 SERIES

Elegant and Economical, Liberty's Interflex Z-250 provides an excellent option for the entry-level customer looking for a great starting point.

**NEW**  
BETTER PRODUCTS, BETTER PRICES,  
Better Deals

### Z-250 INTERCONNECTS

Length (meters)	Connection	Style	Color	Part #
.5, 1, 1.5, 2, 3, 4	Audio/Video	Set	Black	Z250AV
.5, 1, 1.5, 2, 3, 4	Audio	Pair	Black	Z250A

Z-250 SERIES |



## Z-200 SERIES

InterFlex™ Z-200 Audio/Video interconnects strike the perfect balance between cost and performance.

### Z-200 INTERCONNECTS

### STANDARD WORKHORSE

Length (meters)	Connection	Style	Color	Part #
.5, 1, 1.5, 2, 3, 4	Audio/Video	Set	Black	Z200AV
.5, 1, 1.5, 2, 3, 4	Audio	Pair	Black	Z200A

Z-200 SERIES |



## Z-100 SERIES

InterFlex™ Z-100 Audio/Video interconnects are modestly priced, quality replacements AV cable sets.

### Z-100 INTERCONNECTS

### STANDARD WORKHORSE

Length (meters)	Connection	Style	Color	Part #
.5, 1, 1.5, 2, 3, 4	Audio/Video	Set	Black	Z100AV
.5, 1, 1.5, 2, 3, 4	Audio	Pair	Black	Z100A

Z-100 SERIES |



Specifications Subject to Change.  
Photos of products not shown actual size.  
All products are patent pending.

**ORDERING IS FAST & EASY, CALL TODAY!**

**800-530-8998**

# CABLE, CONNECTORS, PLATES, PANELS & TOOLS

Liberty has the complete solution for all your connectivity needs.

## COAXMASTER™ TERMINATION SYSTEM

Eliminates the Need to Carry Multiple Tools



### COAXMASTER™ STRIPPERS

Perfect for RGB 25 & 26 AWG mini coax.

Part #: **EX59/6/RGB**

Accurately strips RG59, RG6 or RG6 Quad cables.

Part #: **PS59/6**

**HOLSTER**  
Part #: **CM-Holster**

Solid steel construction is elegantly finished in a fire engine red powder coat.

Part #: **CPLCCT-SLM-L**

## COAXMASTER™ CONNECTORS PERFECT TERMINATIONS, NO SOLDERING



**FSBNC-1RGB**  
RGB5-Mini-26 AWG-BNC



**FS59BNC**  
RG59-BNC



**FS6BNC**  
RG6-BNC



**RG59BNCHR**  
Gold-RG59-BNC



**RG6BNCHR**  
Gold-RG6-BNC



RGB Mini Connectors for 25 & 26 AWG

**FSBNC-15RGB**  
RGB5-Mini-25 AWG-BNC



**FS59RCA**  
RG59-RCA



**FS6RCA**  
RG6-RCA



**RG59CAHR**  
Gold-RG59-RCA






**RG6CAHR**  
Gold-RG6-RCA

We offer a complete selection of RCA & BNC connectors, CALL Today!

RCA's Available in 5 colors:  
Red, Green, Blue, White, Yellow

### 4 Easy Steps

Perfect Terminations in Less Than One Minute



## PANEL CRAFTERS



Part #: **PC1GS-033**




Part #: **PC2GS-022**

### Complete Line of Custom and Stock Plates & Panels are Available

Our complete line of single & double gang plates and rack plates are available populated or unpopulated. Our custom plates and panels are used in a broad base of residential and commercial installations from home theater, corporate boardrooms, and specialized prototypical engineering applications. Custom and stock products are available for every application.

## CUSTOM RACK BUSINESS CARD

Hold on to your customers longer and make it easy for them to contact you. Allow your rack header with business name, logo and phone number to act as your salesperson.



Part #: **RHCB**

## FORM & FUNCTION



Part #: **PC-2GS-018**

### The Best RGB Double Gang Plate

Our RGB stock plate is the most professional way to finish your installation. Populated with 5 insulated BNCs for RGBHV, 1 HD15 for computer and 2 insulated RCAs for Left-Right audio. Available in black, white or brushed aluminum surfaces. Mounting screws included.

**Stock Plates  
In 48 Hours!**

## DESIGN YOUR OWN PLATES & PANELS!



Custom design your own A/V wall plates and panels in less than 30 seconds with PanelCrafter's CADBlox™ from Liberty Wire & Cable. Simply visit [www.panelcrafters.com/cadblox](http://www.panelcrafters.com/cadblox) for your free program download.

[www.panelcrafters.com/cadblox](http://www.panelcrafters.com/cadblox)

Free Download!

OVER 6,000 PRODUCTS AVAILABLE!

Liberty Wire & Cable, Inc.  
11675 Ridgeline Dr.  
Colorado Springs, CO 80921

**Liberty**  
Wire & Cable

CALL TODAY TO PLACE YOUR ORDER

**800-530-8998**

CS-108

PRST STD  
U.S. POSTAGE  
PAID  
COLO. SPGS., CO  
PERMIT NO. 467